



ORIGINAL RESEARCH ARTICLE

Ethnomedicinal studies of medicinal plants in Eastern ghats of Vizianagaram district, Andhra Pradesh, India.

T.R. Parijatham¹, B. Sujatha² and B. Seetha Lakshmi³

¹PGT Botany, A.P. Model School, Vizianagaram, Andhra Pradesh, India.

²Professor in Botany in Andhra University, Visakhapatnam, Andhra Pradesh, India.

³Reader in Botany, Dr. V.S.K. Govt. P.G. College, Visakhapatnam, Andhra Pradesh, India.

Received for publication: December 12, 2015; **Revised:** December 28, 2015; **Accepted:** January 21, 2016

Abstract: An ethnomedicinal survey was carried out in tribal communities of Eastern Ghats of Vizianagaram district with an aim to document the information regarding indigenous medicinal plant species used in the treatment of various diseases. The study area is inhabited by several tribal groups: Jatapus, Kondadoras, Mukadoras, Mannedoras, Yerukulas, Goudus, Gadabas and Savara, and their population is 2.14 lakhs as per 2011 census. The present paper deals with about 336 medicinal plant species of 269 genera belonging to 99 families. These have been recorded and are used by the 8 tribal groups to cure over 250 ailments. Plant species like *Chrysanthemum indicum*, *Jasminum angustifolium*, *Nerium odorum* and *Tagetes erecta* were used not only for ornamental purposes but also as ethnomedicinal plants to cure Sexually transmitted diseases like Gonorrhoea, Syphilis, Skin diseases like Ringworm (Fungal disease), Leprosy (Bacterial disease) and Rheumatism. *Catharanthus roseus* flowers paste has good control over insect and scorpion bites. This survey provides some information to biochemists and pharmacologists in screening of ethnomedicinal plants and in rapidly assessing of phytoconstituents for the treatment of various diseases.

Key words: Ethnomedicine; Vizianagaram flora; Jatapus; Mukadoras; Mannedoras; Yerukulas; Goudus; Gadabas and Savara.

Introduction

The ethnomedical studies pave the way for enquiry into the unknown and keep the search and the research curious by adding new drugs to the welfare of the humanity. The life of different ethnic groups is intricately intertwined with the plants around them not only for food, fabric and shelter but also for medicine. It is but natural, that when one is afflicted by a disease or disorder and its associated discomfort to look for relief or remedial measures from plants around. Phytochemical screening and pharmacological investigations of ethno medicine have to be encouraged and the existing ones be stepped up. Health and disease are the co-evals in human life. The disease and the associated discomfort have necessitated the early mankind for remedial measures from the plants around. A totally plant-based medicine is known as green medicine or herbal medicine, such traditional medicine known from the time immemorial. It is cheap and affordable, there is cure in sight for terminal diseases like AIDS and Cancer, there is a remedy for chronic diseases. The medicines are invasive and therefore do not vitiate the human system, nor there are any side-effects, there are no adulterations, leading to drastic consequences and even if there are many, they are minimum, it is based on pro-biotic concept unlike allopathy where it is antibiotic aimed at total removal of organisms which may include beneficial ones. The term ethanobotany was coined by Harshberger (1) (1895) one of the Fathers of Economic Botany of America. Schultes (2) stated that ethanobotany as the study of relationship between man and his ambient vegetation.

Documentation of indigenous knowledge through ethnobotanical studies is important for the conservation and utilization of biological resources (3). Ramarao *et al.*, (1984) presented the note on Ethnobotanical studies in Andhra Pradesh; Ramarao (1988) did his Ph.D. work on Ethnobotany of Eastern Ghats in Andhra Pradesh (4). Very little number of ethnomedicinal was carried out in Eastern Ghats of Vizianagaram District. Hence, an attempt has been made to document the traditional knowledge with the ethnic tribes in Eastern Ghats of Vizianagaram District, Andhra Pradesh.

Study area:

Vizianagaram is situated in between 17° -15'-00 to 19° -15'-00" Northern latitude and 83°-00'-00" to 83-45'-00" Eastern Longitude. It is bounded on the east of srikakulam district on the west and south by Visakhapatnam district, on the southeast by Bay of Bengal and northwest by Koraput district of Orissa. Eastern ghat or purva Ghats also known as mahendra parvata are a discontinuous range of mountains along india's Eastern coast. The Eastern Ghats run from west Bengal state in the north, through Orissa and Andhra Pradesh to Tamilnadu in the south passing some parts of Karnataka. In the study area 13 mandals have tribal population out of 34 mandals, the entire agency track covers 2,393 sq.km. There are several peaks in between 914m to 1,615m, Shankaram in S.kota mandal is 1615m, Nanda 1162m, Himagirica 1120m, Jarada 960m, and Kankanapalli 850m in altitude. The forest area of Vizianagaram district covers 1, 18, 652.38 hectares administered under one forest division and four forest ranges

*Corresponding Author:

T.R. Parijatham

PGT Botany,

A.P. Model School,

Vizianagaram, Andhra Pradesh, India.

are Vizianagaram, Salur, Paravathipuram and Kurupam. It is inhabited by 2, 14, 839 tribal people comprising of 9.55 percentage of the total population. The major tribal groups are Jatapus, Kondadoras, Mukhadoras, Mannedoras, Yerukulas, Goudus, Gadabas and Savara. Among these the last two are called as primitive tribal groups.

Materials and Methods

To document the utilization of indigenous medical plants and use of traditional medicine, intensive field trips were made in the interior tribal pockets during the years of 2011-2014. The information on medicinal uses of indigenous plants has been described after gathering information from the Tribals/ Local priests/ Village vaidhyas/ Herbal doctors/ Headmen/ Elderly people. Collecting information from them is not an easy task as they treat it will be an outmost secret, which was not even shared among their community members. While carrying out the fieldwork, help was taken from the traditional healers in the ethnomedicinal information, as they are familiar with the plants around them. Enquires were made on type of plants they use and their usage in their daily life. Communication with these people was made in Telugu; Exploration trips were frequently made to all the representative localities of the study are by the following methods suggested by Jain (5).

Identification of Plants:

During the field trips, voucher specimens of the representative taxa were collected and field numbers were given after making critical observation on the habit, habitat, ecological association, branching pattern, flower colour and fruits. Herbarium specimens have been prepared. The identifications were later confirmed with the help of Flora of Presidency of Madras Gamble (6) Flora of Andhra Pradesh, Pullaiah and Chennaiah (7), Pullaiah and Ali Moulali (8) and local floras like Srikakulam district Rolla S. Rao & Harasriramulu (9), Vizianagaram District Venkaiah (10), Visakhapatnam G.V. Subba Rao (11), North Coastal Districts Prayaga Murthy (12).

Results and Discussion

In the present work "Ethnomedicine of Eastern Ghats of Vizianagaram District" about 336 medicinal plant species belonging to 99 families with 269 genera (Fig.1), are used by tribal groups in Eastern Ghats of Vizianagaram District. Out of 336 species, 332 species are angiosperms and 4 species of pteridophytes, among the angiosperms 294 are dicotyledons, and monocotyledons are 38 (Fig.2). based on themorphological classification habit-wise herbs 121, shrubs 81. trees 76 & climber/ twiners 58 (Fig.3).




Figure 1: Cone graph represents taxa distribution.




Figure 2: Taxa-wise flora dominance.




Figure 3: Habit-wise classification of ethnomedicinal plants

In the present study a total number of 99 families are recorded. Out of 95 angiosperm families the first ten dominating families are given (Fig.4). Fabaceae is the dominating family with 21 species followed by Asteraceae with 20 species, Euphorbiaceae with 19 species, Lamiaceae with 15 species, Caesalpinaceae with 12 species followed by Asclepidaceae and Apocynaceae with 11 species each, Cucurbitaceae with 10 species followed by Malvaceae and Verbenaceae with 9 species each.




Figure 4: Dominant families of ethnomedicinal plants of Eastern Ghats of Vizianagaram District.

Different parts of the medicinal plants are using by the Tribal practitioners, among them Leaf (32%) are used for the preparation of medicines predominantly followed by Root (22%), Seed (10%), Stem bark (9%), Fruit (6%), Whole plant (5%), Tuber (4%), Flower & Rhizome (3%) each, Latex & Root bark (1%) each, Gum, Pod & Twigs (0.68%) each, Corm & Nut (0.17%) each.




Figure 5: Percentage-wise plant parts used by tribal people.

Table: Ethnomedicine of Eastern Ghats of Vizianagaram District

S.No.	Disease	Name of the plant	Family	Plant part used
1	Abortion	<i>Strychnos nox-vomica</i> Linn.	Loganiaceae	Seed
2	Abortifacient	<i>Abrus precatorius</i> Linn.	Fabaceae	Seed
3	Abscess	<i>Argyrea nervosa</i> (Burm.f.) Boj.	Convolvulaceae	Leaf
		<i>Clerodendrum serratum</i> (Linn.) Moon.	Verbenaceae	Leaf
		<i>Gloriosa superba</i> Linn.	Liliaceae	Tuber
		<i>Helianthus annuus</i> Linn.	Asteraceae	Leaf
		<i>Hemidesmus indicus</i> var. (Linn.) R.Br.	Periplocaceae	Root
		<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Ulmaceae	Leaf
		<i>Jatropha curcas</i> Linn.	Euphorbiaceae	Leaf
		<i>Kalanchoe lanceolata</i> (Forsk.) Pers.	Crassulaceae	Leaf
		<i>Kalanchoe pinnata</i> (Lam.) Pers.	Crassulaceae	Leaf
		<i>Mimosa pudica</i> Linn.	Mimosaceae	Leaf
		<i>Opuntia dillenii</i> Haw.	Cactaceae	Flower
		<i>Saraca asoca</i> (Roxb.) De Willd.	Caesalpiniaceae	Leaf
		<i>Solanum surattense</i> Burm.f.	Solanaceae	Fruit
		<i>Stephania japonica</i> Miers.	Menispermaceae	Stem
		<i>Tribulus terrestris</i> Linn.	Zygophyllaceae	Leaf
4	Acidity	<i>Acacia rugata</i> (Lam.) Ham.	Mimosaceae	Leaf
		<i>Acorus calamus</i> Linn.	Araceae	Rhizome
		<i>Anodendron paniculatum</i> (Roxb.) A. DC.	Apocynaceae	Leaf
		<i>Asparagus racemosus</i> Willd.	Liliaceae	Root
		<i>Phyllanthus amarus</i> Schum. & Thonn.	Euphorbiaceae	Whole plant
5	AIDS	<i>Piper longum</i> Linn.	Piperaceae	Fruit
		<i>Sansevieria roxburghiana</i> Schult. & Schult.f.	Agavaceae	Root
		<i>Zingiber officinale</i> Rose.	Zingiberaceae	Rhizome
6	Allergies	<i>Hemidesmus indicus</i> var. (Linn.) R.Br.	Periplocaceae	Root
7	Analgesics	<i>Ficus hispida</i> Linn.f.	Moraceae	Leaf
8	Alopecia	<i>Glycyrrhiza glabra</i> (Retz.) DC.	Fabaceae	Root
		<i>Pimpinella heyneana</i> (Wall.ex DC.) Kurz	Apiaceae	Root
		<i>Benincasa hispida</i> (Thunb.) Cogn.	Cucurbitaceae	Seed
		<i>Carica papaya</i> Linn.	Caricaceae	Flower
		<i>Gloriosa superba</i> Linn.	Liliaceae	Tuber
9	Amenorrhoea	<i>Hibiscus rosa-sinensis</i> Linn.	Malvaceae	Flower
		<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Ulmaceae	Leaves
		<i>Jatropha curcas</i> Linn.	Euphorbiaceae	Seed
		<i>Melia azadirach</i> Linn.	Meliaceae	Leaf
		<i>Semecarpus anacardium</i> Linn.f.	Anacardiaceae	Fruit
10	Amoebic dysentery	<i>Gynodon dactylon</i> (Linn.) Pers.	Poaceae	Leaf
		<i>Coleus amboinicus</i> Lour.	Lamiaceae	Leaf
		<i>Holarrhena pubescens</i> (Buch. -Ham.) Wall. ex G. Don	Apocynaceae	Stem bark
		<i>Punica granatum</i> Linn.	Punicaceae	Fruit
		<i>Tylophora indica</i> (Burm.f.) Merr.	Asclepidaceae	Leaf
11	Anaemia	<i>Asparagus racemosus</i> Willd.	Liliaceae	Root
		<i>Clitoria ternata</i> Linn.	Fabaceae	Root
		<i>Eclipta prostrata</i> (Linn.) Mant.	Asteraceae	Leaf
		<i>Hemidesmus indicus</i> var. (Linn.) R.Br.	Periplocaceae	Root
		<i>Jatropha gossypifolia</i> Linn.	Euphorbiaceae	Root
		<i>Mimosa pudica</i> Linn.	Mimosaceae	Root
		<i>Moringa olifera</i> Lam.	Moringaceae	Leaf, Flower
		<i>Murraya koenigii</i> (Linn.) Spreng.	Rutaceae	Leaf
		<i>Saururus androgynous</i> (Linn.) Merr.	Euphorbiaceae	Leaf
		<i>Vanda tessellata</i> (Roxb.) Hook. ex G. Don	Orchidaceae	Root

12	Anti-Abortifacient	<i>Madhuca indica</i> Gmel. <i>Anodendron paniculatum</i> (Roxb.) A. DC. <i>Limonia acidissima</i> Linn.	Sapotaceae Apocynaceae Rutaceae	Root Leaf Leaf
13	Antiemetic	<i>Musa paradisiaca</i> Linn. <i>Ocimum tenuiflorum</i> Linn. <i>Pongamia pinnata</i> (Linn.) Pierre <i>Syzygium cumini</i> (Linn.) Skeels <i>Ziziphus mauritina</i> Lam.	Musaceae Lamiaceae Fabaceae Myrtaceae Rhamnaceae	Tuber Leaf Seed Seed Seed
14	Antiemetic in infants	<i>Citrus medica</i> Linn. <i>Aristolochia bracteolata</i> Lam. <i>Bridelia montana</i> (Roxb.) Willd. <i>Callicarpa arborea</i> Linn. <i>Cannabis sativa</i> Linn. <i>Chromolaena odorata</i> (Linn.) King & Robinson.	Rutaceae Aristolochiaceae Euphorbiaceae Verbenaceae Cannabaceae Asteraceae	Root Leaf Root bark Stem bark Leaf Seed
15	Anthelmintic	<i>Citrus medica</i> Linn. <i>Cyrtia peltata</i> (Lam.) Hook.f. & Thoms. <i>Erythrina variegata</i> Linn. <i>Helianthus annuus</i> Linn. <i>Helicteres isora</i> Linn. <i>Tephrosia purpurea</i> (Linn.) Pers. <i>Abelmoschus moschatus</i> Medik. <i>Cassia occidentalis</i> Linn. <i>Cipadessa baccifera</i> (Roth.) Miq. <i>Cuminum cyminum</i> Linn.	Rutaceae Menispermaceae Fabaceae Asteraceae Sterculiaceae Fabaceae Malvaceae Caesalpiniaceae Meliaceae Apiaceae	Stem bark Root Leaf Seed Root Root Seed Pod Stem bark Seed
16	Appetiser	<i>Hyptis suaveolens</i> (Linn.) Polt. <i>Limonia acidissima</i> Linn. <i>Mentha spicata</i> Linn. <i>Opuntia dillenii</i> Haw. <i>Zingiber officinale</i> Rose. <i>Bridelia retusa</i> (Linn.) Spreng.	Lamiaceae Rutaceae Lamiaceae Cactaceae Zingiberaceae Euphorbiaceae	Root Fruit Leaf Fruit Rhizome Stem bark
17	Arthritis	<i>Cassia tora</i> Linn.	Caesalpiniaceae	Leaf
18	Ascites	<i>Ipomoea nil</i> (Linn.) Roth <i>Acorus calamus</i> Linn. <i>Adhatoda zeylanica</i> Medik. <i>Barleria prionitis</i> Linn. <i>Barringtonia acutangula</i> (Linn.) Gaertn. <i>Benincasa hispida</i> (Thunb.) Cogn. <i>Boswellia serrata</i> Roxb.ex Colebr. <i>Brassia nigra</i> (Linn.) Koch. <i>Calotropis gigantea</i> (Linn.) R.Br. ex Ait. <i>Calotropis procera</i> (Ait.) R.Br. <i>Cissus quadrangularis</i> Linn. <i>Clerodendrum serratum</i> (Linn.) Moon. <i>Coleus barbatulus</i> (Andr.) Benth.	Convolvulaceae Araceae Acanthaceae Acanthaceae Barringtoniaceae Cucurbitaceae Burseraceae Brassicaceae Asclepiadaceae Asclepiadaceae Vitaceae Verbenaceae Lamiaceae	Seed Rhizome Leaf Whole plant Nut Root Stem bark Seed Flower Flower Stem Fruit Root
19	Asthma	<i>Curcuma longa</i> Linn. <i>Datura metel</i> Linn. <i>Evolvulus alsinoides</i> Linn. <i>Indigofera tinctoria</i> Ali. <i>Piper longum</i> Linn. <i>Scoparia dulcis</i> Linn. <i>Semecarpus anacardium</i> Linn.f. <i>Stachytarpheta jamaicensis</i> (Linn.) Vahl <i>Terminalia belirica</i> (Gaertn.) Roxb. <i>Tylophora indica</i> (Burm.f.) Merr. <i>Zingiber officinale</i> Rose. <i>Acacia nilotica</i> (Linn.) Willd. <i>Butea monosperma</i> (Lam.) Taub. <i>Cardiospermum halicacabum</i> Linn. <i>Cinnamomum camphora</i> (Linn.) Nees & Eberm. <i>Coldenia procumbens</i> Linn. <i>Erythrina variegata</i> Linn. <i>Euphorbia ligularia</i> Roxb.	Solanaceae Convolvulaceae Fabaceae Piperaceae Scrophulariaceae Anacardiaceae Verbenaceae Combretaceae Asclepiadaceae Zingiberaceae Mimosaceae Fabaceae Sapindaceae Lauraceae Boraginaceae Fabaceae Euphorbiaceae	Leaf Whole plant Leaf, Root Fruit Leaf Stem bark Root Fruit Root Rhizome Fruit Flower Whole plant Seed Whole plant Stem Latex
20	Backache	<i>Ficus racemosa</i> Linn. <i>Hygrophila auriculata</i> (Schum.) Heine <i>Hyptis suaveolens</i> (Linn.) Polt. <i>Justicia glauca</i> Rottl. <i>Pedaliium murex</i> Linn. <i>Withania somnifera</i> (Linn.) Dunal <i>Zingiber officinale</i> Rose.	Moraceae Acanthaceae Lamiaceae Acanthaceae Pedaliaceae Solanaceae Zingiberaceae	Fruit Whole plant Seed Leaf Leaf Root Rhizome
21	Back pain	<i>Ficus benghalensis</i> Linn.	Moraceae	Latex
22	Bad smell from the mouth	<i>Mentha spicata</i> Linn.	Lamiaceae	Leaf
23	Bald head	<i>Jatropha gossypifolia</i> Linn. <i>Cordia dichotoma</i> Forst.f. <i>Eclipta prostrata</i> (Linn.) Mant. <i>Gmelina arborea</i> Roxb. <i>Hibiscus rosa-sinensis</i> Linn.	Euphorbiaceae Boraginaceae Asteraceae Verbenaceae Malvaceae	Leaf Seed Whole plant Seed Flower
25	Bleeding after abortion	<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Root
26	Bleeding from nose	<i>Leucas aspera</i> (Willd.) Link. <i>Mimusops elengi</i> Linn.	Lamiaceae Sapotaceae	Root Flower
27	Bleeding from uterus	<i>Cinnamomum zeylanicum</i> Gare.ex.Bl.	Lauraceae	Stem bark
28	Bleeding in pregnant women	<i>Nymphaea pubescens</i> Willd.	Nymphaeaceae	Flower
29	Bleeding of teeth	<i>Barleria prionitis</i> Linn.	Acanthaceae	Leaf
30	Bleeding piles	<i>Basella rubra</i> Linn.	Basellaceae	Leaf
31	Blindness	<i>Moringa olifera</i> Lam. <i>Ocimum basilicum</i> Linn.	Moringaceae Lamiaceae	Leaf Seed
32	Blood clottings in the brain	<i>Anodendron paniculatum</i> (Roxb.) A. DC.	Apocynaceae	Leaf

33	Blood disorders	<i>Actinopterys radiata</i> (Swartz.) Link.	Actinopteridaceae	Plant
		<i>Anthocephalus cadamba</i> Mig.	Rubiaceae	Stem bark
34	Blood dysentery	<i>Bauhinia vahili</i> Wight & Arn.	Caesalpiniaceae	Stem bark
		<i>Ficus microcarpa</i> Linn.f.	Moraceae	Stem bark
		<i>Terminalia bellirica</i> (Gaertn.) Roxb.	Combretaceae	Fruit
		<i>Anodendron paniculatum</i> (Roxb.) A. DC.	Apocynaceae	Leaf
		<i>Artemisia vulgaris</i> Linn.	Asteraceae	Leaf
		<i>Catharan roseus</i> (Linn.) G. Don.	Apocynaceae	Leaf
35	Blood pressure	<i>Moringa olifera</i> Lam.	Moringaceae	Leaf
		<i>Phyllanthus emblica</i> Linn.	Euphorbiaceae	Fruit
		<i>Pueraria tuberosa</i> (Roxb. ex Willd.) DC.	Fabaceae	Tuber
		<i>Rauvolfia tetraphylla</i> Linn.	Apocynaceae	Tuber
		<i>Cassia senna</i> Linn.	Caesalpiniaceae	Leaf
		<i>Curcuma longa</i> Linn.	Zingiberaceae	Rhizome
36	Blood purification	<i>Hemidesmus indicus</i> (Linn.) R.Br. var. <i>pubescens</i> (Wight & Arn.) Hook.f.	Periplocaceae	Root
		<i>Nyctanthes arbor-tristis</i> Linn.	Nyctaginaceae	Leaf
		<i>Caryota urens</i> Linn.	Arecaceae	Toddy
		<i>Cassia senna</i> Linn.	Caesalpiniaceae	Leaf
		<i>Mimosa jalapa</i> Linn.	Nyctaginaceae	Tuber
37	Body pains	<i>Morinda pubescens</i> Sm.	Rubiaceae	Stem bark
		<i>Pueraria tuberosa</i> (Roxb. ex Willd.) DC.	Fabaceae	Tuber
		<i>Sansevieria roxburghiana</i> Schult. & Schult.f.	Agavaceae	Leaf
38	Body oedema	<i>Boerhavia diffusa</i> Linn.	Nyctaginaceae	Whole plant
		<i>Acacia rugata</i> (Lam.) Ham.	Mimosaceae	Pod
		<i>Argemone mexicana</i> Linn.	Papervaraceae	Fruit
		<i>Bombax ceiba</i> Linn.	Bombacaceae	Root
		<i>Calycopteris floribunda</i> Lam.	Combretaceae	Stem bark
		<i>Cannabis sativa</i> Linn.	Cannabaceae	Leaf
		<i>Cardiospermum halicacabum</i> Linn.	Sapindaceae	Leaf
39	Boils	<i>Cayratia pedata</i> (Lam.) Juss. ex Gagnep	Vitaceae	Root
		<i>Cayratia trifolia</i> (Linn.) Domin.	Vitaceae	Leaf
		<i>Curcuma longa</i> Linn.	Zingiberaceae	Rhizome
		<i>Cuscuta reflexa</i> Roxb.	Cuscutaceae	Whole plant
		<i>Helicteres isora</i> Linn.	Sterculiaceae	Fruit
		<i>Indigofera tinctoria</i> Linn.	Fabaceae	Leaf
		<i>Terminalia chebula</i> Retz.	Combretaceae	Myrobalan seed
		<i>Withania somnifera</i> (Linn.) Dunal	Solanaceae	Root
		<i>Acacia nilotica</i> (Linn.) Willd.	Mimosaceae	Gum
		<i>Cassia auriculata</i> Linn.	Caesalpiniaceae	Leaf
		<i>Cissus quadrangularis</i> Linn.	Vitaceae	Stem
		<i>Cochlospermum religiosum</i> (Linn.) Alston.	Cochlospermaceae	Stem bark
40	Bone fractures healing	<i>Kalanchoe pinnata</i> (Lam.) Pers.	Crassulaceae	Leaf
		<i>Litsea decanensis</i> Gamble	Lauraceae	Stem bark
		<i>Piper nigrum</i> Linn.	Piperaceae	Seed
		<i>Rhaphidophora decursiva</i> (Roxb.) Scott	Araceae	Whole plant
		<i>Ruellia tuberosa</i> Linn.	Acanthaceae	Leaf
		<i>Scindapsus officinalis</i> Schott	Araceae	Root
41	Bone density	<i>Elytraria acanthis</i> (Linn.f.) Lindau.	Acanthaceae	Root
42	Brain tonic	<i>Celastrus paniculatus</i> Willd.	Celastraceae	Seed
43	Bronchial asthma	<i>Barringtonia acutangula</i> (Linn.) Gaertn.	Barringtoniaceae	Seed
		<i>Adhatoda zeylanica</i> Medik.	Acanthaceae	Leaf
		<i>Cassia alata</i> Linn.	Caesalpiniaceae	Leaf
		<i>Cassia fistula</i> Linn.	Caesalpiniaceae	Leaf
44	Bronchitis	<i>Coleus amboinicus</i> Lour.	Lamiaceae	Leaf
		<i>Coleus barbatulus</i> (Andr.) Benth.	Lamiaceae	Root
		<i>Datura metel</i> Linn.	Solanaceae	Leaf
		<i>Indigofera tinctoria</i> Linn.	Fabaceae	Whole plant
		<i>Ipomoea nil</i> (Linn.) Roth	Convolvulaceae	Seed
		<i>Madhuca indica</i> Gmel.	Sapotaceae	Stem bark
		<i>Phoenix loureirii</i> Kunth	Arecaceae	Tuber
45		<i>Piper nigrum</i> Linn.	Piperaceae	Seed
		<i>Polygonum barbatum</i> Linn. var. <i>barbatum</i>	Polygonaceae	Root
		<i>Urena lobata</i> Linn.	Malvaceae	Leaf
		<i>Argemone mexicana</i> Linn.	Papervaraceae	Leaf
		<i>Basella rubra</i> Linn.	Basellaceae	Leaf
		<i>Ficus benghalensis</i> Linn.	Moraceae	Root
		<i>Lagenaria siceraria</i> (Molina) Standl.	Cucurbitaceae	Leaf
46	Burns	<i>Lawsonia intermis</i> Linn.	Lythraceae	Leaf
		<i>Leonotis nepetifolia</i> (Linn.) R.Br.	Lamiaceae	Flower
		<i>Murraya koenigii</i> (Linn.) Spreng.	Rutaceae	Leaf
		<i>Sarcostemma secamone</i> (Linn.) Bennet	Asclepidaceae	Whole plant
		<i>Terminalia chebula</i> Retz.	Combretaceae	Myrobalan seed
		<i>Argemone mexicana</i> Linn.	Papervaraceae	Leaf
		<i>Cassia fistula</i> Linn.	Caesalpiniaceae	Leaf
		<i>Cleome gynandra</i> Linn.	Cleomaceae	Leaf
		<i>Ficus microcarpa</i> Linn.f.	Moraceae	Latex
		<i>Kalanchoe pinnata</i> (Lam.) Pers.	Crassulaceae	Leaf
47	Carbuncle	<i>Mallotus philippensis</i> (Lam.) Muell. -Arg.	Euphorbiaceae	Fruit
		<i>Mimosa pudica</i> Linn.	Mimosaceae	Leaf
		<i>Nyctanthes arbor-tristis</i> Linn.	Nyctaginaceae	Seed
		<i>Opuntia dillenii</i> Haw.	Cactaceae	Leaf
		<i>Phyllanthus amarus</i> Schum. & Thonn.	Euphorbiaceae	Leaf
		<i>Pongamia pinnata</i> (Linn.) Pierre	Fabaceae	Root bark
		<i>Sterculia urens</i> Roxb.	Sterculiaceae	Gum
48	Cataract	<i>Evolvulus alsinoides</i> Linn.	Convolvulaceae	Flower
		<i>Solanum erianthum</i> Don	Solanaceae	Flower

		<i>Abrus precatorius</i> Linn.	Fabaceae	Leaf
		<i>Acacia rugata</i> (Lam.) Ham.	Mimosaceae	Leaf
		<i>Aldatoda zeylanica</i> Medik.	Acanthaceae	Leaf
		<i>Argyrea nervosa</i> (Burm.f.) Boj.	Convolvulaceae	Root
		<i>Artemisia vulgaris</i> Linn.	Asteraceae	Leaf
		<i>Basella rubra</i> Linn.	Basellaceae	Leaf
49	Catarrh	<i>Cipadessa baccifera</i> (Roth.) Miq.	Meliaceae	Stem bark
		<i>Curcuma longa</i> Linn.	Zingiberaceae	Rhizome
		<i>Leucas aspera</i> (Willd.) Link.	Lamiaceae	Leaf
		<i>Leucas cephalotes</i> (Roth) Spreng.	Lamiaceae	Flower
		<i>Madhuca indica</i> Gmel.	Sapotaceae	Fruit
		<i>Mimosa julapa</i> Linn.	Nyctaginaceae	Root
		<i>Pongamia pinnata</i> (Linn.) Pierre	Fabaceae	Seed
		<i>Trianthema portulacastrum</i>	Aizoaceae	Root
50	Centipede bite	<i>Bridelia montana</i> (Roxb.) Willd.	Euphorbiaceae	Stem bark
51	Chicken guinea	<i>Cynodon dactylon</i> (Linn.) Pers.	Poaceae	Grass
52	Chicken pox	<i>Azadirachta indica</i> A. Juss.	Meliaceae	Leaf
53	Child emetis	<i>Cassia occidentalis</i> Linn.	Caesalpinaceae	Stem bark
54	Cholera	<i>Azadirachta indica</i> A. Juss.	Meliaceae	Leaf
55	Cholesterol	<i>Aristolochia indica</i> Linn.	Aristolochiaceae	Root
56	Chronic headache	<i>Cinnamomum zeylanicum</i> Gare.ex.Bl.	Lauraceae	Stem bark
		<i>Leucas biflora</i> (Vahl) R.Br.var. <i>biflora</i>	Lamiaceae	Root
		<i>Barringtonia acutangula</i> (Linn.) Gaertn.	Barringtoniaceae	Seed
		<i>Desmodium gangeticum</i> (Linn.) DC.	Fabaceae	Root
		<i>Leucas biflora</i> (Vahl) R.Br.var. <i>biflora</i>	Lamiaceae	Leaf
57	Cold	<i>Piper longum</i> Linn.	Piperaceae	Root
		<i>Salvia splendens</i> Sello.	Lamiaceae	Leaf
		<i>Trachyspermum ammi</i> (Linn.) Turrill	Apiaceae	Seed
		<i>Zingiber officinale</i> Rose.	Zingiberaceae	Rhizome
		<i>Ziziphus mauritina</i> Lam.	Rhamnaceae	Fruit
58	Common skin diseases	<i>Casabela thearitia</i> (Linn.) Lipp.	Apocynaceae	Leaf
		<i>Citrus medica</i> Linn.	Rutaceae	Seed
		<i>Mimusops elengi</i> Linn.	Sapotaceae	Stem bark
		<i>Mucuna pruriens</i> (Linn.) DC.	Fabaceae	Fruit
59	Conception	<i>Petalium murex</i> Linn.	Pedaliaceae	Whole plant
		<i>Pergularia daemia</i> (Forsk.) Chiov.	Asclepidaceae	Root
		<i>Trianthema portulacastrum</i>	Aizoaceae	Root
		<i>Vernonia cinerea</i> (Linn.) Less.	Asteraceae	Whole plant
60	Conformation of leprosy	<i>Girardinia diversifolia</i> (Link.) Friis	Urticaceae	Leaf
61	Conjunctivitis	<i>Artemisia vulgaris</i> Linn.	Asteraceae	Leaf
62	Constipation in pregnant women	<i>Dichrostachys cinerea</i> (Linn.) Wt. & Arn.	Mimosaceae	Leaf
63	Contraceptive	<i>Basella rubra</i> Linn.	Basellaceae	Leaf
		<i>Abrus precatorius</i> Linn.	Fabaceae	Seed
		<i>Costus speciosus</i> (Koen.) Sm.	Zingiberaceae	Rhizome
		<i>Abrus precatorius</i> Linn.	Fabaceae	Leaf
		<i>Acacia rugata</i> (Lam.) Ham.	Mimosaceae	Leaf
		<i>Aldatoda zeylanica</i> Medik.	Acanthaceae	Leaf
		<i>Argyrea nervosa</i> (Burm.f.) Boj.	Convolvulaceae	Root
		<i>Artemisia vulgaris</i> Linn.	Asteraceae	Leaf
		<i>Barleria prionitis</i> Linn.	Acanthaceae	Whole plant
		<i>Barringtonia acutangula</i> (Linn.) Gaertn.	Barringtoniaceae	Nut, Seed
		<i>Basella rubra</i> Linn.	Basellaceae	Leaf
		<i>Benincasa hispida</i> (Thunb.) Cogn.	Cucurbitaceae	Root
		<i>Calotropis gigantea</i> (Linn.) R.Br. ex Ait.	Asclepidaceae	Root bark
		<i>Cochlospermum religiosum</i> (Linn.) Alston.	Cochlospermaceae	Gum
		<i>Curcuma angustifolia</i> Roxb.	Zingiberaceae	Rhizome
64	Cough	<i>Cyperus rotundus</i> Linn.	Cyperaceae	Tuber
		<i>Emilia sonchifolia</i> (L.) DC.	Asteraceae	Leaf
		<i>Gymnema sylvestre</i> (Retz.) R. Br. ex Schult.	Asclepidaceae	Leaf
		<i>Hemionitis arifolia</i> (Burm.f.) Moore	Adiantaceae	Leaf
		<i>Jatropha curcas</i> Linn.	Euphorbiaceae	Latex
		<i>Oroxylum indicum</i> (Linn.) Vent.	Bignoniaceae	Stem bark
		<i>Piper longum</i> Linn.	Piperaceae	Fruit, Root
		<i>Piper nigrum</i> Linn.	Piperaceae	Seed
		<i>Rhinacanthus communis</i> Nees	Acanthaceae	Leaf
		<i>Salvia splendens</i> Sello.	Lamiaceae	Leaf
		<i>Scoparia dulcis</i> Linn.	Scrophulariaceae	Leaf
		<i>Strychnos potatorum</i> Linn.f.	Loganiaceae	Seed
		<i>Trachyspermum ammi</i> (Linn.) Turrill	Apiaceae	Seed
		<i>Zingiber officinale</i> Rose.	Zingiberaceae	Rhizome
		<i>Acanthospermum hispidum</i> DC.	Asteraceae	Leaf
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Leaf
		<i>Belamcanda chinensis</i> Leman	Iridaceae	Leaf
		<i>Chromolaena odorata</i> (Linn.) King & Robinson.	Asteraceae	Leaf
		<i>Cipadessa baccifera</i> (Roth.) Miq.	Meliaceae	Leaf
		<i>Euphorbia nivulia</i> Buch. -Ham.	Euphorbiaceae	Latex
		<i>Glycosmis pentathylla</i> (Retz.) DC.	Rutaceae	Leaf
		<i>Heliotropium indicum</i> Linn.	Boraginaceae	Leaf
65	Cuts	<i>Jatropha curcas</i> Linn.	Euphorbiaceae	Latex
		<i>Kalanchoe pinnata</i> (Lam.) Pers.	Crassulaceae	Leaf
		<i>Mimosa pudica</i> Linn.	Mimosaceae	Twig
		<i>Opuntia dillenii</i> Haw.	Cactaceae	Leaf
		<i>Oroxylum indicum</i> (Linn.) Vent.	Bignoniaceae	Root bark
		<i>Solanum surattense</i> Burm.f.	Solanaceae	Root
		<i>Sterculia urens</i> Roxb.	Sterculiaceae	Gum
		<i>Terminalia arjuna</i> (Roxb. ex DC.) Wight & Arn.	Combretaceae	Stem bark
		<i>Ziziphus mauritina</i> Lam.	Rhamnaceae	Seed

66	Dandruff	<i>Abrus precatorius</i> Linn.	Fabaceae	Leaf
		<i>Benincasa hispida</i> (Thunb.) Cogn.	Cucurbitaceae	Seed
		<i>Cyperus rotundus</i> Linn.	Cyperaceae	Tuber
		<i>Gmelina asiatica</i> Linn.	Verbenaceae	Fruit
		<i>Madhuca indica</i> Gmel.	Sapotaceae	Seed
		<i>Melia azadirach</i> Linn.	Meliaceae	Leaf
		<i>Nyctanthes arbor-tristis</i> Linn.	Nyctaginaceae	Seed
		<i>Sapindus emarginatus</i> Vahl	Sapindaceae	Fruit
		<i>Citrullus colocynthis</i> (Linn.) Schrad.	Cucurbitaceae	Root
		<i>Carica papaya</i> Linn.	Caricaceae	Leaf
67	Deaf	<i>Blainvillea acmella</i> (Linn.) Philipson	Asteraceae	Stem
68	Dengue	<i>Anodendron paniculatum</i> (Roxb.) A. DC.		
69	Detoxicant	<i>Cassia auriculata</i> Linn.	Apocynaceae	Leaf
		<i>Cassia fistula</i> Linn.	Caesalpinaceae	Whole plant
		<i>Catharan roseus</i> (Linn.) G. Don.	Caesalpinaceae	Flower
		<i>Cocculus hirsutus</i> (Linn.) Dc.	Apocynaceae	Leaf
		<i>Eleusine coracana</i> (Linn.) Gaertn.	Menispermaceae	Whole plant
		<i>Evolvulus alsinoides</i> Linn.	Poaceae	Seed
		<i>Heliotropium indicum</i> Linn.	Convolvulaceae	Whole plant
		<i>Holarrhena pubescens</i> (Buch. -Ham.) Wall. ex G. Don	Boraginaceae	Leaf
		<i>Murraya koenigii</i> (Linn.) Spreng.	Apocynaceae	Flower
		<i>Rauwolfia serpentina</i> (Linn.) Benth. ex Kurz.	Rutaceae	Leaf
70	Diabetes	<i>Saraca asoca</i> (Roxb.) De Willd.	Apocynaceae	Tuber
		<i>Sterea rubodyana</i> Linn.	Caesalpinaceae	Whole plant
		<i>Syzygium cumini</i> (Linn.) Skeels	Asteraceae	Whole plant
		<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.	Myrtaceae	Seed
		<i>Trigonella foenum-graecum</i> Linn.	Menispermaceae	Whole plant
		<i>Carica papaya</i> Linn.	Fabaceae	Seed
		<i>Acacia nilotica</i> (Linn.) Willd.		
		<i>Achyranthes aspera</i> Linn.	Caricaceae	Fruit
		<i>Boswellia serrata</i> Roxb. ex Colebr.	Mimosaceae	Stem bark
		<i>Cannabis sativa</i> Linn.	Amaranthaceae	Leaf
71	Diabetic gangrene	<i>Cissampelos pareira</i> Linn.	Burseraceae	Stem bark
		<i>Haldinia cordifolia</i> (Roxb.) Ridsd.	Cannabaceae	Leaf
		<i>Melia azadirach</i> Linn.	Menispermaceae	Root
		<i>Mimusops elengi</i> Linn.	Rubiaceae	Stem bark
		<i>Pavonia zeylanica</i> (Linn.) Cav.	Meliaceae	Leaf
		<i>Plumbago indica</i> Linn.	Sapotaceae	Stem bark
		<i>Vetiveria zizanioides</i> (Linn.) Nash	Malvaceae	Root
		<i>Carissa carandas</i> Linn.	Plumbaginaceae	Root
		<i>Woodfordia fruticosa</i> (Linn.) Kurz	Poaceae	Root
		<i>Gloriosa superba</i> Linn.	Apocynaceae	Fruit
72	Diarrhoea	<i>Basella rubra</i> Linn.	Lythraceae	Flower
73	Diet for heart patients	<i>Dioscorea bulbifera</i> Linn.	Liliaceae	Tuber
		<i>Achyranthes aspera</i> Linn.	Basellaceae	Leaf
		<i>Heliotropium indicum</i> Linn.	Dioscoreaceae	Tuber
		<i>Madhuca indica</i> Gmel.	Amaranthaceae	Whole plant
		<i>Solanum nigrum</i> Linn.	Boraginaceae	Leaf
		<i>Elephantopus scaber</i> Linn.	Sapotaceae	Stem bark
		<i>Acacia nilotica</i> (Linn.) Willd.	Solanaceae	Root
		<i>Aristolochia indica</i> Linn.	Asteraceae	Root
		<i>Azadirachta indica</i> A. Juss.	Mimosaceae	Leaf, Bark
		<i>Barringtonia acutangula</i> (Linn.) Gaertn.	Aristolochiaceae	Root
74	Digestive problems	<i>Trachyspermum ammi</i> (Linn.) Turill	Meliaceae	Leaf
		<i>Zanthoxylum armatum</i> DC.	Barringtoniaceae	Leaf
		<i>Asparagus racemosus</i> Willd.	Apiaceae	Seed
		<i>Cinnamomum zeylanicum</i> Gare. ex Bl.	Rutaceae	Leaf
		<i>Cocculus hirsutus</i> (Linn.) Dc.	Liliaceae	Leaf
		<i>Curcuma angustifolia</i> Roxb.	Lauraceae	Stem bark
		<i>Aristolochia indica</i> Linn.	Menispermaceae	Leaf
		<i>Basella rubra</i> Linn.	Zingiberaceae	Rhizome
		<i>Cipadessa baccifera</i> (Roth.) Miq.	Aristolochiaceae	Root
		<i>Eryngium foetidum</i> Linn.	Basellaceae	Leaf
75	Diphtheria	<i>Ocimum gratissimum</i> Linn.	Meliaceae	Stem bark
		<i>Pongamia pinnata</i> (Linn.) Pierre	Apiaceae	Leaf
		<i>Solanum erianthum</i> Don	Lamiaceae	Whole plant
		<i>Coleus amboinicus</i> Lour.	Fabaceae	Leaf
		<i>Holarrhena pubescens</i> (Buch. -Ham.) Wall. ex G. Don	Solanaceae	Root
		<i>Indigofera tinctoria</i> Linn.	Lamiaceae	Leaf
		<i>Mimusops elengi</i> Linn.	Apocynaceae	Stem bark
		<i>Sida rhombifolia</i> Linn.	Fabaceae	Whole plant
		<i>Acalypha indica</i> Linn.	Malvaceae	Root
		<i>Cleome viscosa</i> Linn.		
76	Diuretic	<i>Clerodendrum serratum</i> (Linn.) Moon.	Euphorbiaceae	Leaf
		<i>Euphorbia nivulia</i> Buch. -Ham.	Cleomaceae	Leaf
		<i>Nyctanthes arbor-tristis</i> Linn.	Verbenaceae	Root
		<i>Ocimum gratissimum</i> Linn.	Euphorbiaceae	Leaf
		<i>Terminalia arjuna</i> (Roxb. ex DC.) Wight & Arn.	Nyctaginaceae	Flower
		<i>Vernonia cinerea</i> (Linn.) Less.	Lamiaceae	Leaf
		<i>Vitex negundo</i> Linn.	Combretaceae	Leaf
		<i>Zingiber officinale</i> Rose.	Asteraceae	Root
		<i>Synadenium grantii</i> Hook. f.	Verbenaceae	Leaf
		<i>Corchorus olitorius</i> Linn.	Zingiberaceae	Rhizome
77	Dog bite	<i>Costus speciosus</i> (Koen.) Sm.	Euphorbiaceae	Leaf
		<i>Kalanchoe pinnata</i> (Lam.) Pers.	Tiliaceae	Seed
			Zingiberaceae	Stem
			Crassulaceae	Leaf
78	Dryness of tongue			
79	Dysentery			
80	Dysmenorrhoea			
81	Dyspepsia			
82	Dyspepsia stomachache			
83	Dysuria			
84	Earache			
85	Ear infection			
86	Ear pain			

87	Easy delivery	<i>Gloriosa superba</i> Linn.	Liliaceae	Tuber
		<i>Rauwolfia serpentina</i> (Linn.) Benth. ex Kurz.	Apocynaceae	Tuber
		<i>Sapindus emarginatus</i> Vahl	Sapindaceae	Fruit
		<i>Scoparia dulcis</i> Linn.	Scrophulariaceae	Leaf
		<i>Sterculia urens</i> Roxb.	Sterculiaceae	Stem bark
88	Eczema	<i>Tribulus terrestris</i> Linn.	Zygophyllaceae	Root
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Leaf
		<i>Aristolochia bracteolata</i> Lam.	Aristolochiaceae	Leaf
		<i>Calotropis gigantea</i> (Linn.) R.Br. ex Ait.	Asclepidaceae	Latex
		<i>Cinnamomum zeylanicum</i> Gare.ex.Bl.	Lauraceae	Stem bark
89	Emetic	<i>Clematis gouriana</i> Roxb.ex DC.	Ranunculaceae	Leaf
		<i>Leonotis nepetifolia</i> (Linn.) R.Br.	Lamiaceae	Flower, Seed
		<i>Madhuca indica</i> Gmel.	Sapotaceae	Fruit
		<i>Operculina turpethum</i> (Linn.) Silva Manso	Convolvulaceae	Root
		<i>Acacia rugata</i> (Lam.) Ham.	Mimosaceae	Leaf
90	Enrich the blood	<i>Cipadessa baccifera</i> (Roth.) Miq.	Meliaceae	Stem bark
		<i>Rubia cordifolia</i> Linn.	Rubiaceae	Root
		<i>Acorus calamus</i> Linn.	Araceae	Rhizome
		<i>Atylosia scarabacoides</i> (Linn.) Benth.	Fabaceae	Leaf, Root
		<i>Bacopa monnieri</i> Wettst.	Scrophulariaceae	Whole plant
91	Epilepsy	<i>Celastrus paniculatus</i> Willd.	Celastraceae	Seed
		<i>Cinnamomum camphora</i> (Linn.) Nees & Eberm.	Lauraceae	Stem
		<i>Citrus medica</i> Linn.	Rutaceae	Leaf
		<i>Milletia racemosa</i> (Roxb.) Benth.	Fabaceae	Stem bark
		<i>Nicotiana tabacum</i> Linn.	Solanaceae	Root
92	Eye diseases	<i>Rubus niveus</i> Thunb.	Rosaceae	Root
		<i>Thysanolaena maxima</i> (Roxb.) Kuntze.	Poaceae	Root
		<i>Zingiber zerumbet</i> (Linn.) Smith	Zingiberaceae	Tuber
		<i>Acacia nilotica</i> (Linn.) Willd.	Mimosaceae	Leaf
		<i>Boerhavia diffusa</i> Linn.	Nyctaginaceae	Root
93	Eye disorders	<i>Mallotus philippensis</i> (Lam.) Muell.-Arg.	Euphorbiaceae	Seed
		<i>Moringa olifera</i> Lam.	Moringaceae	Leaf
94	Eyes watering	<i>Barringtonia acutangula</i> (Linn.) Gaertn.	Barringtoniaceae	Seed
		<i>Abelmoschus moschatus</i> Medik.	Malvaceae	Seed
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Leaf, Root
		<i>Acorus calamus</i> Linn.	Araceae	Rhizome
		<i>Aristolochia indica</i> Linn.	Aristolochiaceae	Root
95	Fever	<i>Artemisia absinthium</i> Linn.	Asteraceae	Flower
		<i>Bixa orellana</i> Linn.	Bixaceae	Root
		<i>Boswellia serrata</i> Roxb.ex Colebr.	Burseraceae	Gum
		<i>Cuminum cyminum</i> Linn.	Apiaceae	Seed
		<i>Globba merkentina</i> Linn.	Zingiberaceae	Tuber
96	Fertility	<i>Gymnema sylvestre</i> (Retz.) R. Br. ex Schult.	Asclepidaceae	Leaf
		<i>Rhinacanthus communis</i> Nees	Acanthaceae	Leaf
		<i>Rubia cordifolia</i> Linn.	Rubiaceae	Root
		<i>Solanum erianthum</i> Don	Solanaceae	Root
		<i>Tamarindus indica</i> Linn.	Caesalpinaceae	Leaf
97	Filariasis	<i>Terminalia chebula</i> Retz.	Combretaceae	Fruit
		<i>Acacia nilotica</i> (Linn.) Willd.	Mimosaceae	Leaf
		<i>Actinopterys radiata</i> (Swartz.) Link.	Actinopteridaceae	Leaf
		<i>Asparagus racemosus</i> Willd.	Liliaceae	Tuber
		<i>Bombax ceiba</i> Linn.	Bombacaceae	Root
98	Fistula	<i>Citrullus colocynthis</i> (Linn.) Schrad.	Cucurbitaceae	Root
		<i>Diplocyclos palmatus</i> (Linn.) Jeffrey	Cucurbitaceae	Seed
		<i>Erythrina variegata</i> Linn.	Fabaceae	Leaf
		<i>Haldinia cordifolia</i> (Roxb.) Ridsd.	Rubiaceae	Stem bark
		<i>Petalium murex</i> Linn.	Pedaliaceae	Seed
99	Fits	<i>Soyimda febrifuga</i> (Roxb.) A. Juss.	Meliaceae	Stem bark
		<i>Brassia nigra</i> (Linn.) Koch.	Brassicaceae	Seed
		<i>Hybanthus enneaspermus</i> (Linn.) Muell.	Violaceae	Whole plant
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Root
		<i>Argyrea nervosa</i> (Burm.f.) Boj.	Convolvulaceae	Leaf, Root
100	Gangrene	<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Ulmaceae	Stem bark
		<i>Solanum erianthum</i> Don	Solanaceae	Leaf
		<i>Argyrea nervosa</i> (Burm.f.) Boj.	Convolvulaceae	Root
		<i>Cardiospermum halicacabum</i> Linn.	Sapindaceae	Leaf
		<i>Curcuma aromatica</i> Sal.	Zingiberaceae	Rhizome

		<i>Antiocephalus cadamba</i> Mig.	Rubiaceae	Stem bark
		<i>Argyrea nervosa</i> (Burm.f.) Boj.	Convolvulaceae	Root, Stem
		<i>Aristolochia bracteolata</i> Lam.	Aristolochiaceae	Root
		<i>Aristolochia indica</i> Linn.	Aristolochiaceae	Root
		<i>Artocarpus heterophyllus</i> Lam.	Moraceae	Fruit
		<i>Carica papaya</i> Linn.	Caricaceae	Fruit
		<i>Chlorophytum arundinaceum</i> Baker.	Liliaceae	Root
		<i>Cleome monophylla</i> Linn.	Capparidaceae	Leaf
		<i>Costus speciosus</i> (Koen.) Sm.	Zingiberaceae	Rhizome
		<i>Cryptolepis buchananii</i> Roem. & Schult.	Periplocaceae	Root
		<i>Curcuma angustifolia</i> Roxb.	Zingiberaceae	Rhizome
		<i>Cyperus rotundus</i> Linn.	Cyperaceae	Tuber
		<i>Elytraria acaulis</i> (Linn.f.) Lindau.	Acanthaceae	Root
		<i>Emilia sonchifolia</i> (L.) DC.	Asteraceae	Root
101	Galactagogue	<i>Euphorbia heterophylla</i> Linn.	Euphorbiaceae	Twig
		<i>Euphorbia tirucalli</i> Linn.	Euphorbiaceae	Latex
		<i>Gmelina arborea</i> Roxb.	Verbenaceae	Root
		<i>Gymnema sylvestre</i> (Retz.) R. Br. ex Schult.	Asclepidaceae	Root
		<i>Ichnocarpus frutescens</i> (Linn.) R.Br.	Apocynaceae	Root
		<i>Leptadenia reticulata</i> (Retz.) Wight & Arn.	Asclepidaceae	Leaf
		<i>Madhuca indica</i> Gmel.	Sapotaceae	Stem bark
		<i>Manilkara hexandra</i> (Roxb.) Dubard	Sapotaceae	Stem bark
		<i>Moringa olifera</i> Lam.	Moringaceae	Leaf
		<i>Oroxylum indicum</i> (Linn.) Vent.	Bignoniaceae	Root bark
		<i>Pergularia daemia</i> (Forsk.) Chiov.	Asclepidaceae	Root
		<i>Stereblus asper</i> Lour.	Moraceae	Leaf
		<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.	Menispermaceae	Stem
		<i>Trigonella foenum-graecum</i> Linn.	Fabaceae	Leaf
		<i>Withania somnifera</i> (Linn.) Dunal	Solanaceae	Leaf
102	Gas	<i>Barringtonia acutangula</i> (Linn.) Gaertn.	Barringtoniaceae	Seed
103	Gastric ulcer	<i>Evolvulus alsinoides</i> Linn.	Convolvulaceae	Root
		<i>Anodendron paniculatum</i> (Roxb.) A. DC.	Apocynaceae	Leaf
104	Gastritis	<i>Curculigo orchoides</i> Gaertn.	Hypoxidaceae	Root
		<i>Mimosa intsia</i> Linn.	Mimosaceae	Root bark
		<i>Bauhinia vahlili</i> Wight & Arn.	Caesalpinaceae	Seed
		<i>Curcuma longa</i> Linn.	Zingiberaceae	Rhizome
		<i>Evolvulus alsinoides</i> Linn.	Convolvulaceae	Whole plant
105	Giddiness	<i>Ficus microcarpa</i> Linn.f.	Moraceae	Stem bark
		<i>Musa paradisiaca</i> Linn.	Musaceae	Tuber
		<i>Passiflora foetida</i> Linn.	Passifloraceae	Root
		<i>Smilax zeylanica</i> Linn.	Smilacaceae	Stem
		<i>Abelmoschus moschatus</i> Medik.	Malvaceae	Root, Leaf
		<i>Boerhavia diffusa</i> Linn.	Nyctaginaceae	Leaf
106	Gonorrhoea	<i>Ficus hispida</i> Linn.f.	Moraceae	Root
		<i>Chrysanthemum indicum</i> Linn.	Asteraceae	Root
		<i>Mallotus philippensis</i> (Lam.) Muell.-Arg.	Euphorbiaceae	Fruit
107	Goiter	<i>Datura innoxia</i> Mill.	Solanaceae	Leaf
		<i>Helianthus annuus</i> Linn.	Asteraceae	Root
		<i>Cassia fistula</i> Linn.	Caesalpinaceae	Fruit
		<i>Cassia tora</i> Linn.	Caesalpinaceae	Leaf
108	Gout	<i>Gmelina arborea</i> Roxb.	Verbenaceae	Leaf
		<i>Ipomoea nil</i> (Linn.) Roth	Convolvulaceae	Seed
		<i>Terminalia chebula</i> Retz.	Combretaceae	Myrobalan seed
109	Hair fall	<i>Benincasa hispida</i> (Thunb.) Cogn.	Cucurbitaceae	Fruit
		<i>Phyllanthus emblica</i> Linn.	Euphorbiaceae	Fruit
110	Hair growth	<i>Abrus precatorius</i> Linn.	Fabaceae	Leaf
		<i>Ziziphus mauritina</i> Lam.	Rhamnaceae	Leaf
111	Hair oil	<i>Jatropha curcas</i> Linn.	Euphorbiaceae	Seed
		<i>Barleria prionitis</i> Linn.	Acanthaceae	Leaf
		<i>Barringtonia acutangula</i> (Linn.) Gaertn.	Barringtoniaceae	Leaf
		<i>Cannabis sativa</i> Linn.	Cannabaceae	Leaf
		<i>Catunaregam spinosa</i> (Thunb.) Tirv.	Rubiaceae	Fruit
		<i>Cinnamomum zeylanicum</i> Gare.ex.Bl.	Lauraceae	Stem bark
		<i>Clerodendrum serratum</i> (Linn.) Moon.	Verbenaceae	Leaf
		<i>Cocculus birsutus</i> (Linn.) Dicis.	Menispermaceae	Leaf
		<i>Curculigo orchoides</i> Gaertn.	Hypoxidaceae	Root
112	Headache	<i>Lannea coromandelica</i> (Houtt.) Merr.	Anacardiaceae	Stem bark
		<i>Lawsonia intermis</i> Linn.	Lythraceae	Leaf
		<i>Leucas aspera</i> (Willd.) Link.	Lamiaceae	Leaf
		<i>Mimosa jalapa</i> Linn.	Mimosaceae	Root
		<i>Pongamia pinnata</i> (Linn.) Pierre	Fabaceae	Seed
		<i>Rubia cordifolia</i> Linn.	Rubiaceae	Root
		<i>Scoparia dulcis</i> Linn.	Scrophulariaceae	Leaf
		<i>Thespesia populnea</i> (Linn.) Sol. ex Correa	Malvaceae	Leaf
		<i>Trachyspermum ammi</i> (Linn.) Turrill	Apiaceae	Seed
		<i>Vitex negundo</i> Linn.	Verbenaceae	Leaf
113	Healthy strength	<i>Ficus benghalensis</i> Linn.	Moraceae	Fruit
114	Heart attack	<i>Rauwolfia serpentina</i> (Linn.) Benth. ex Kurz.	Apocynaceae	Tuber
		<i>Cardiospermum halicacabum</i> Linn.	Sapindaceae	Leaf
115	Heart pains	<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.	Menispermaceae	Stem, Leaf
		<i>Nerium odourum</i> Soland.	Apocynaceae	Root bark
116	Heart problems	<i>Piper longum</i> Linn.	Piperaceae	Fruit
		<i>Piper nigrum</i> Linn.	Piperaceae	Seed
117	Heart strength	<i>Tribulus terrestris</i> Linn.	Zygophyllaceae	Whole plant

118	Heel cracks	<i>Coldenia procumbens</i> Linn.	Boraginaceae	Whole plant
		<i>Euphorbia ligularia</i> Roxb.	Euphorbiaceae	Whole plant
		<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Ulmaceae	Stem bark
		<i>Solanum surattense</i> Burm.f.	Solanaceae	Whole plant
119	Helminthiasis	<i>Acalypha indica</i> Linn.	Euphorbiaceae	Leaf
120	Hepatitis	<i>Cassia alata</i> Linn.	Caesalpinaceae	Leaf
		<i>Cassia alata</i> Linn.	Caesalpinaceae	Leaf
121	Herpes	<i>Cleome gynandra</i> Linn.	Cleomaceae	Whole plant
		<i>Ficus hispida</i> Linn.f.	Moraceae	Leaf
		<i>Hemidesmus indicus</i> var. (Linn.) R.Br.	Periplocaceae	Root
		<i>Cissus quadrangularis</i> Linn.	Vitaceae	Stem
122	Hiccups	<i>Limonia acidissima</i> Linn.	Rutaceae	Fruit
123	High blood pressure	<i>Evolvulus alsinoides</i> Linn.	Convolvulaceae	Whole plant
		<i>Abelmoschus moschatus</i> Medik.	Malvaceae	Seed
124	Hoarseness of the voice	<i>Abrus precatorius</i> Linn.	Fabaceae	Leaf
		<i>Terminalia belitrica</i> (Gaertn.) Roxb.	Combretaceae	Fruit
		<i>Terminalia chebula</i> Retz.	Combretaceae	Myrobalan seed
		<i>Madhuca indica</i> Gmel.	Sapotaceae	Flower
125	Hydrocele	<i>Abelmoschus moschatus</i> Medik.	Malvaceae	Seed
126	Hysteria	<i>Sida rhombifolia</i> Linn.	Malvaceae	Root
127	Immunity	<i>Tamarindus indica</i> Linn.	Caesalpinaceae	Leaf
128	Immunity power	<i>Apium graveolens</i> Linn.	Apiaceae	Fruit
129	Improves eye sight	<i>Cissus quadrangularis</i> Linn.	Vitaceae	Stem
130	Inflammation	<i>Cassia alata</i> Linn.	Caesalpinaceae	Leaf
		<i>Murraya koenigii</i> (Linn.) Spreng.	Rutaceae	Leaf
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Whole plant
		<i>Boerhavia diffusa</i> Linn.	Nyctaginaceae	Root, Leaf
132	Insomnia	<i>Coriandrum sativum</i> Linn.	Apiaceae	Fruit
		<i>Lawsonia intermis</i> Linn.	Lythraceae	Flower
		<i>Trianthema portulacastrum</i>	Aizoaceae	Root
		<i>Vernonia cinerea</i> (Linn.) Less.	Asteraceae	Root
133	Intermittent fever	<i>Barringtonia acutangula</i> (Linn.) Gaertn.	Barringtoniaceae	Root
		<i>Carissa carandas</i> Linn.	Apocynaceae	Root
		<i>Sida rhombifolia</i> Linn.	Malvaceae	Root
		<i>Plumbago zeylanica</i> Linn.	Plumbaginaceae	Root
134	Intoxication	<i>Woodfordia fruticosa</i> (Linn.) Kurz	Lythraceae	Stem bark
		<i>Wrightia tinctoria</i> (Roxb.) R. Br.	Apocynaceae	Stem bark
		<i>Abelmoschus moschatus</i> Medik.	Malvaceae	Seed
		<i>Artemisia vulgaris</i> Linn.	Asteraceae	Leaf
135	Itchings	<i>Cinnamomum zeylanicum</i> Gare.ex.Bl.	Lauraceae	Stem bark
		<i>Curcuma longa</i> Linn.	Zingiberaceae	Root
		<i>Tamarindus indica</i> Linn.	Caesalpinaceae	Leaf
		<i>Acacia rugata</i> (Lam.) Ham.	Mimosaceae	Pod
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Root
		<i>Azadirachta indica</i> A. Juss.	Meliaceae	Stem bark
		<i>Bridelia montana</i> (Roxb.) Willd.	Euphorbiaceae	Stem bark
		<i>Cassia occidentalis</i> Linn.	Caesalpinaceae	Root
		<i>Clerodendrum phlomidoides</i> Linn.f.	Verbenaceae	Leaf
		<i>Coleus amboinicus</i> Lour.	Lamiaceae	Leaf
		<i>Cordia dichotoma</i> Forst.f.	Boraginaceae	Leaf
		<i>Crinum asiaticum</i> Linn.	Amaryllidaceae	Root
		<i>Curcuma longa</i> Linn.	Zingiberaceae	Rhizome
		<i>Eclipta prostrata</i> (Linn.) Mant.	Asteraceae	Leaf
		<i>Evolvulus alsinoides</i> Linn.	Convolvulaceae	Leaf
136	Jaundice	<i>Gloriosa superba</i> Linn.	Liliaceae	Leaf
		<i>Hoya pendula</i> R.Br.	Asclepidaceae	Root
		<i>Leucas aspera</i> (Willd.) Link.	Lamiaceae	Leaf
		<i>Mimosa jalapa</i> Linn.	Nyctaginaceae	Root
		<i>Oroxylum indicum</i> (Linn.) Vent.	Bignoniaceae	Stem bark
		<i>Oxystelma secamone</i> (Linn.) Karst.	Asclepidaceae	Root
		<i>Ricinus communis</i> Linn.	Euphorbiaceae	Root
		<i>Solanum nigrum</i> Linn.	Solanaceae	Leaf
		<i>Stachytarpheta jamaicensis</i> (Linn.) Vahl	Verbenaceae	Leaf
		<i>Tamarindus indica</i> Linn.	Caesalpinaceae	Leaf
		<i>Terminalia alata</i> Roth	Combretaceae	Stem bark
		<i>Tridax procumbens</i> Linn.	Asteraceae	Whole plant
		<i>Zingiber officinale</i> Rose.	Zingiberaceae	Rhizome
		<i>Barleria prionitis</i> Linn.	Acanthaceae	Leaf
		<i>Bridelia retusa</i> (Linn.) Spreng.	Euphorbiaceae	Stem bark
		<i>Cannabis sativa</i> Linn.	Cannabinaceae	Seed
137	Joint pains	<i>Cassia fistula</i> Linn.	Caesalpinaceae	Fruit
		<i>Hemidesmus indicus</i> var. (Linn.) R.Br.	Periplocaceae	Root
		<i>Sansevieria roxburghiana</i> Schult. & Schult.f.	Agavaceae	Leaf
		<i>Solanum nigrum</i> Linn.	Solanaceae	Leaf

		<i>Abelmoschus moschatus</i> Medik.	Malvaceae	Seed
		<i>Anodendron paniculatum</i> (Roxb.) A. DC.	Apocynaceae	Leaf
		<i>Cassia senna</i> Linn.	Caesalpinaceae	Leaf
		<i>Ceiba pentandra</i> (Linn.) Gaertn.	Bombacaceae	Flower
		<i>Coleus amboinicus</i> Lour.	Lamiaceae	Twigs
		<i>Dichrostachys cinerea</i> (Linn.) Wt. & Arn.	Mimosaceae	Seed
		<i>Helianthus annuus</i> Linn.	Asteraceae	Root
		<i>Holarrhena pubescens</i> (Buch. -Ham.) Wall. ex G. Don	Apocynaceae	Root
138	Kidney stones	<i>Indigofera tinctoria</i> Linn.	Fabaceae	Root
		<i>Moringa olifera</i> Lam.	Moringaceae	Root
		<i>Nerium odourum</i> Soland.	Apocynaceae	Root bark
		<i>Pongamia pinnata</i> (Linn.) Pierre	Fabaceae	Seed
		<i>Saraca asoca</i> (Roxb.) De Willd.	Caesalpinaceae	Seed
		<i>Scoparia dulcis</i> Linn.	Scrophulariaceae	Whole plant
		<i>Solanum surattense</i> Burm.f.	Solanaceae	Root
		<i>Strychnos potatorum</i> Linn.f.	Loganiaceae	Root
		<i>Terminalia arjuna</i> (Roxb. ex DC.) Wight & Arn.	Combretaceae	Stem bark
139	Knees pain	<i>Calotropis gigantea</i> (Linn.) R.Br. ex Ait.	Asclepidaceae	Leaf
		<i>Acacia rugata</i> (Lam.) Ham.	Mimosaceae	Pod
140	Laxative	<i>Argyrea nervosa</i> (Burm.f.) Boj.	Convolvulaceae	Root
		<i>Cipadessa baccifera</i> (Roth.) Miq.	Meliaceae	Stem bark
		<i>Mallotus philippensis</i> (Lam.) Muell. -Arg.	Euphorbiaceae	Fruit
		<i>Operculina turpethum</i> (Linn.) Silva Manso	Convolvulaceae	Root
		<i>Artemisia vulgaris</i> Linn.	Asteraceae	Leaf
		<i>Barleria prionitis</i> Linn.	Acanthaceae	Whole plant
		<i>Butea monosperma</i> (Lam.) Taub.	Fabaceae	Flower
		<i>Cereus pterogonus</i> Lam.	Cactaceae	Stem
141	Leg pains	<i>Cissus quadrangularis</i> Linn.	Vitaceae	Stem
		<i>Oroxylum indicum</i> (Linn.) Vent.	Bignoniaceae	Stem bark
		<i>Pergularia daemia</i> (Forsk.) Chiov.	Asclepidaceae	Root
		<i>Plumbago auriculata</i> Lam.	Plumbaginaceae	Stem
		<i>Rubia cordifolia</i> Linn.	Rubiaceae	Root
		<i>Vitex negunda</i> Linn.	Verbenaceae	Leaf
142	Leg swellings	<i>Calotropis gigantea</i> (Linn.) R.Br. ex Ait.	Asclepidaceae	Latex
		<i>Clerodendrum phlomidoides</i> Linn.f.	Verbenaceae	Stem bark
		<i>Eucalyptus globulus</i> Labill.	Myrtaceae	Leaf
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Leaf
		<i>Aristolochia indica</i> Linn.	Aristolochiaceae	Root
143	Leprosy	<i>Artemisia vulgaris</i> Linn.	Asteraceae	Leaf
		<i>Boswellia serrata</i> Roxb.ex Colebr.	Burseraceae	Gum
		<i>Datura metel</i> Linn.	Solanaceae	Leaf
		<i>Moringa olifera</i> Lam.	Moringaceae	Root bark
		<i>Nerium odourum</i> Soland.	Apocynaceae	Root
		<i>Abrus precatorius</i> Linn.	Fabaceae	Leaf
		<i>Acacia rugata</i> (Lam.) Ham.	Mimosaceae	Pod
144	Leucoderma	<i>Aristolochia indica</i> Linn.	Aristolochiaceae	Root
		<i>Butea monosperma</i> (Lam.) Taub.	Fabaceae	Seed
		<i>Cassia tora</i> Linn.	Caesalpinaceae	Seed
		<i>Coldenia procumbens</i> Linn.	Boraginaceae	Leaf
		<i>Cuscuta reflexa</i> Roxb.	Cuscutaceae	Whole plant
		<i>Acacia nilotica</i> (Linn.) Willd.	Mimosaceae	Stem bark
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Root
		<i>Aristolochia bracteolata</i> Lam.	Aristolochiaceae	Stem
		<i>Agadirachta indica</i> A. Juss.	Meliaceae	Leaf
		<i>Bauhinia purpurea</i> Linn.	Caesalpinaceae	Stem bark
		<i>Cassia auriculata</i> Linn.	Caesalpinaceae	Flower
		<i>Cocculus birsutus</i> (Linn.) Dicis.	Menispermaceae	Leaf
		<i>Curculigo orchinoides</i> Gaertn.	Hypoxidaceae	Root
145	Leucorrhoea	<i>Cyperus rotundus</i> Linn.	Cyperaceae	Tuber
		<i>Ficus hispida</i> Linn.f.	Moraceae	Root
		<i>Hygrophila auriculata</i> (Schum.) Heine	Acanthaceae	Root
		<i>Melia azadirach</i> Linn.	Meliaceae	Seed
		<i>Mimosa jalapa</i> Linn.	Nyctaginaceae	Tuber
		<i>Mucuna pruriens</i> (Linn.) DC.	Fabaceae	Seed
		<i>Sida cordifolia</i> Linn.	Malvaceae	Root
		<i>Sida rhombifolia</i> Linn.	Malvaceae	Root
		<i>Thunbergia alata</i> Boj. ex Sims	Acanthaceae	Root
146	Leukemia	<i>Trigonella foenum-graecum</i> Linn.	Fabaceae	Seed
147	Lice eradication	<i>Crinum asiaticum</i> Linn.	Amaryllidaceae	Root
		<i>Gloriosa superba</i> Linn.	Liliaceae	Leaf
148	Liver disorders	<i>Coleus amboinicus</i> Lour.	Lamiaceae	Twigs
		<i>Eclipta prostrata</i> (Linn.) Mant.	Asteraceae	Leaf
		<i>Tephrosia purpurea</i> (Linn.) Pers.	Fabaceae	Root
149	Long life span	<i>Hemionitis arifolia</i> (Burm.f.) Moore	Adiantaceae	Leaf
		<i>Phyllanthus emblica</i> Linn.	Euphorbiaceae	Fruit
150	Low blood pressure	<i>Zingiber zerumbet</i> (Linn.) Smith	Zingiberaceae	Tuber
151	Magico- religious	<i>Panicum sumatrense</i> Roem. & Schult	Poaceae	Seed
152	Magico- religious belief	<i>Belamcanda chinensis</i> Leman	Iridaceae	Root
		<i>Acorus calamus</i> Linn.	Araceae	Rhizome
		<i>Adhatoda zeylanica</i> Medik.	Acanthaceae	Leaf
		<i>Agadirachta indica</i> A. Juss.	Meliaceae	Leaf
153	Malaria	<i>Centella asiatica</i> (Linn.) Urban.	Apiaceae	Leaf
		<i>Momordica charantica</i> Linn.	Cucurbitaceae	Leaf
		<i>Ocimum tenuiflorum</i> Linn.	Lamiaceae	Root
		<i>Rubia cordifolia</i> Linn.	Rubiaceae	Root

154	Memory power	<i>Acorus calamus</i> Linn.	Araceae	Rhizome
		<i>Bacopa monnieri</i> Wettst.	Scrophulariaceae	Whole plant
		<i>Celastrus paniculatus</i> Willd.	Celastraceae	Seed
		<i>Centella asiatica</i> (Linn.) Urban.	Apiaceae	Leaf
		<i>Ficus benghalensis</i> Linn.	Moraceae	Stem bark
		<i>Phyllanthus emblica</i> Linn.	Euphorbiaceae	Fruit
		<i>Acacia nilotica</i> (Linn.) Willd.	Mimosaceae	Leaf
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Leaf
		<i>Adiantum zeylanica</i> Medik.	Acanthaceae	Root
		<i>Bauhinia purpurea</i> Linn.	Caesalpinaceae	Stem bark
		<i>Boerhavia diffusa</i> Linn.	Nyctaginaceae	Root
		<i>Boswellia serrata</i> Roxb.ex Colebr.	Burseraceae	Gum
		<i>Cinnamomum zeylanicum</i> Gare.ex.Bl.	Lauraceae	Stem bark
155	Menorrhagia	<i>Curculigo orchioides</i> Gaertn.	Hypoxidaceae	Root
		<i>Hibiscus rosa-sinensis</i> Linn.	Malvaceae	Root
		<i>Mimosa pudica</i> Linn.	Mimosaceae	Leaf
		<i>Mimosa jalapa</i> Linn.	Nyctaginaceae	Tuber
		<i>Nymphaea pubescens</i> Willd.	Nymphaeaceae	Fruit
		<i>Phyllanthus emblica</i> Linn.	Euphorbiaceae	Fruit
		<i>Sida cordifolia</i> Linn.	Malvaceae	Root
		<i>Soymida febrifuga</i> (Roxb.) A. Juss.	Meliaceae	Stem bark
		<i>Strychnos nux-vomica</i> Linn.	Loganiaceae	Seed
		<i>Vetiveria zizanioides</i> (Linn.) Nash	Poaceae	Root
		<i>Bacopa monnieri</i> Wettst.	Scrophulariaceae	Whole plant
		<i>Datura innoxia</i> Mill.	Solanaceae	Seed
		<i>Eryngium foetidum</i> Linn.	Apiaceae	Root
156	Mental disorders	<i>Evolvulus alsinoides</i> Linn.	Convolvulaceae	Whole plant
		<i>Pueraria tuberosa</i> (Roxb. ex Willd.) DC.	Fabaceae	Tuber
		<i>Abrus precatorius</i> Linn.	Fabaceae	Root
157	Menstrual disorders	<i>Argyrea nervosa</i> (Burm.f) Boj.	Convolvulaceae	Root
		<i>Cipadessa baccifera</i> (Roth.) Miq.	Meliaceae	Stem bark
		<i>Clitoria ternata</i> Linn.	Fabaceae	Root
158	Migraine	<i>Desmodium gangeticum</i> (Linn.) DC.	Fabaceae	Root
		<i>Helianthus annuus</i> Linn.	Asteraceae	Seed, Leaf
		<i>Leucas aspera</i> (Willd.) Link.	Lamiaceae	Leaf
159	Mosquito repellent/bite	<i>Piper longum</i> Linn.	Piperaceae	Fruit
		<i>Pongamia pinnata</i> (Linn.) Pierre	Fabaceae	Seed
		<i>Sapindus emarginatus</i> Vahl	Sapindaceae	Fruit
160	Mouth ulcers	<i>Scoparia dulcis</i> Linn.	Scrophulariaceae	Leaf
		<i>Terminalia chebula</i> Retz.	Combretaceae	Myrobalan seed
		<i>Cymbopogon flexuosus</i> (Linn.) Rendie.	Poaceae	Leaf
161	Mumps	<i>Pongamia pinnata</i> (Linn.) Pierre	Fabaceae	Seed
		<i>Acacia nilotica</i> (Linn.) Willd.	Mimosaceae	Stem bark
		<i>Cassia alata</i> Linn.	Caesalpinaceae	Leaf
162	Muscle pain	<i>Cassia tora</i> Linn.	Caesalpinaceae	Leaf
		<i>Ficus racemosa</i> Linn.	Moraceae	Stem bark
		<i>Sesbania grandiflora</i> (Linn.) Poir.	Fabaceae	Leaf
163	Narcotic	<i>Jatropha curcas</i> Linn.	Euphorbiaceae	Seed
		<i>Crotalaria pallida</i> Dryd.	Fabaceae	Seed
		<i>Chromolaena odorata</i> (Linn.) King.	Asteraceae	Leaf
164	Neck sprains	<i>Cinnamomum camphora</i> (Linn.)Nees.	Lauraceae	Seed
		<i>Ichnocarpus frutescens</i> (Linn.) R.Br.	Apocynaceae	Root
		<i>Bacopa monnieri</i> Wettst.	Scrophulariaceae	Whole plant
165	Nervous pain	<i>Cereus pterogonus</i> Lam.	Cactaceae	Stem
		<i>Boerhavia diffusa</i> Linn.	Nyctaginaceae	Leaf
		<i>Pongamia pinnata</i> (Linn.) Pierre	Fabaceae	Seed
166	Nervous weakness	<i>Hyptis suaveolens</i> (Linn.) Polt.	Lamiaceae	Leaf
		<i>Phyllanthus emblica</i> Linn.	Euphorbiaceae	Fruit
		<i>Punica granatum</i> Linn.	Punicaceae	Flower
167	Neuralgia	<i>Withania somnifera</i> (Linn.) Dunal	Solanaceae	Leaf
		<i>Datura innoxia</i> Mill.	Solanaceae	Leaf
		<i>Tribulus terrestris</i> Linn.	Zygophyllaceae	Whole plant
168	Night blindness	<i>Zingiber officinale</i> Rose.	Zingiberaceae	Rhizome
		<i>Boswellia serrata</i> Roxb.ex Colebr.	Burseraceae	Gum
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Whole plant
169	Nose bleeding	<i>Acorus calamus</i> Linn.	Araceae	Rhizome
		<i>Argyrea nervosa</i> (Burm.f) Boj.	Convolvulaceae	Leaf
		<i>Calotropis gigantea</i> (Linn.) R.Br.ex Ait.	Asclepidaceae	Latex
170	Obesity	<i>Euphorbia pulcherrima</i> Willd. ex Klotz.	Euphorbiaceae	Stem
		<i>Hoya pendula</i> R.Br.	Asclepidaceae	Root
		<i>Plumeria alba</i> Linn.	Apocynaceae	Latex
171	Oedema	<i>Stemona tuberosa</i> Lour.	Stemonaceae	Root
		<i>Abrus precatorius</i> Linn.	Fabaceae	Seed
		<i>Adiantum zeylanica</i> Medik.	Acanthaceae	Stem bark
172	Osteo-Arthritis	<i>Cassia occidentalis</i> Linn.	Caesalpinaceae	Whole plant
		<i>Cissus quadrangularis</i> Linn.	Vitaceae	Stem
		<i>Cleome gynandra</i> Linn.	Cleomaceae	Leaf
173	Pains	<i>Dichrostachys cinerea</i> (Linn.) Wt. & Arn.	Mimosaceae	Root
		<i>Euphorbia tirucalli</i> Linn.	Euphorbiaceae	Stem
		<i>Mucuna pruriens</i> (Linn.) DC.	Fabaceae	Root
174	Paralysis	<i>Plumbago indica</i> Linn.	Plumbaginaceae	Root bark
		<i>Pongamia pinnata</i> (Linn.) Pierre	Fabaceae	Stem bark
		<i>Spilanthes acmella</i> Wall. ex DC.	Asteraceae	Flower, Root
175	Parasthesias	<i>Strychnos nux-vomica</i> Linn.	Loganiaceae	Stem bark, Seed
		<i>Urginea indica</i> (Roxb.) Kunth	Liliaceae	Bulb
		<i>Wrightia tinctoria</i> (Roxb.) R. Br.	Apocynaceae	Stem bark
176	Parkinsonia	<i>Synadenium grantii</i> Hook.f.	Euphorbiaceae	Leaf
177	Pesticide			

178	Piles	<i>Acacia nilotica</i> (Linn.) Willd.	Mimosaceae	Leaf
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Root
		<i>Argyrea nervosa</i> (Burm.f.) Boj.	Convolvulaceae	Leaf
		<i>Asclepias curassavica</i> Linn.	Asclepiadaceae	Root
		<i>Azadirachta indica</i> A. Juss.	Meliaceae	Fruits
		<i>Bauhinia purpurea</i> Linn.	Caesalpinaceae	Root
		<i>Boerhavia diffusa</i> Linn.	Nyctaginaceae	Root
		<i>Canna edulis</i> (Linn.)	Cannaceae	Tuber
		<i>Cissampelos pareira</i> Linn.	Menispermaceae	Root
		<i>Costus speciosus</i> (Koen.) Sm.	Zingiberaceae	Leaf
		<i>Cuscuta reflexa</i> Roxb.	Cuscutaceae	Whole plant.
		<i>Euphorbia tirucalli</i> Linn.	Euphorbiaceae	Latex
		<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Ulmaceae	Stem bark
		<i>Mallotus philippensis</i> (Lam.) Muell. -Arg.	Euphorbiaceae	Seed
		<i>Oxalis latifolia</i> Kunth	Oxalidaceae	Root
		<i>Punica granatum</i> Linn.	Punicaceae	Fruit
179	Polyuria	<i>Terminalia chebula</i> Retz.	Combretaceae	Myrobalan seed
		<i>Cassia occidentalis</i> Linn.	Caesalpinaceae	Seed
		<i>Ficus racemosa</i> Linn.	Moraceae	Fruit
180	Post-partum problems	<i>Argemone mexicana</i> Linn.	Papervaraceae	Leaf
		<i>Aristida juniculata</i> Trin. & Rupr.	Poaceae	Root
		<i>Lantana camara</i> Linn.	Verbenaceae	Leaf
181	Psoriasis	<i>Leucas cephalotes</i> (Roth) Spreng.	Lamiaceae	Twigs
		<i>Melia azadirach</i> Linn.	Meliaceae	Leaf
		<i>Thunbergia alata</i> Boj. ex Sims	Acanthaceae	Root
182	Purgative	<i>Cassia occidentalis</i> Linn.	Caesalpinaceae	Root
		<i>Coldenia procumbens</i> Linn.	Boraginaceae	Leaf
		<i>Leonotis nepetifolia</i> (Linn.) R.Br.	Lamiaceae	Leaf
183	Rabies	<i>Calycopteris floribunda</i> Lam.	Combretaceae	Leaf
		<i>Euphorbia heterophylla</i> Linn.	Euphorbiaceae	Leaf
		<i>Rauwolfia serpentina</i> (Linn.) Benth. ex Kurz.	Apocynaceae	Tuber
184	Rat bite	<i>Barleria prionitis</i> Linn.	Acanthaceae	Root
		<i>Clitoria ternata</i> Linn.	Fabaceae	Root
		<i>Abrus precatorius</i> Linn.	Fabaceae	Leaf
185	Regular menstruation	<i>Basella rubra</i> Linn.	Basellaceae	Leaf
		<i>Curcuma longa</i> Linn.	Zingiberaceae	Root
		<i>Hedychiium coccineum</i> Koen.	Zingiberaceae	Tuber
		<i>Hemidesmus indicus</i> (Linn.) R. Br	Asclepiadaceae	Root
		<i>Hybanthus enneaspermus</i> (Linn.) Muell.	Violaceae	Whole plant
		<i>Hygrophila auriculata</i> (Schum.) Heine	Acanthaceae	Seed
		<i>Nymphaea pubescens</i> Willd.	Nymphaeaceae	Leaf
		<i>Opuntia dillenii</i> Haw.	Cactaceae	Fruit
		<i>Ricinus communis</i> Linn.	Euphorbiaceae	Seed
		<i>Rubia cordifolia</i> Linn.	Rubiaceae	Tuber
		<i>Boerhavia diffusa</i> Linn.	Nyctaginaceae	Root
		<i>Cassia fistula</i> Linn.	Caesalpinaceae	Leaf
		<i>Heliotropium indicum</i> Linn.	Boraginaceae	Root
		<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Ulmaceae	Leaf
		<i>Murraya koenigii</i> (Linn.) Spreng.	Rutaceae	Leaf
		<i>Opuntia dillenii</i> Haw.	Cactaceae	Fruit
186	Refrigerant	<i>Oreocylum indicum</i> (Linn.) Vent.	Bignoniaceae	Root
		<i>Plumbago auriculata</i> Lam.	Plumbaginaceae	Root
		<i>Sesbania grandiflora</i> (Linn.) Poir.	Fabaceae	Flower
		<i>Stachytarpheta jamaicensis</i> (Linn.) Vahl	Verbenaceae	Whole plant
		<i>Withania somnifera</i> (Linn.) Dunal	Solanaceae	Root
		<i>Adhatoda zeylanica</i> Medik.	Acanthaceae	Leaf
		<i>Azadirachta indica</i> A. Juss.	Meliaceae	Seed
		<i>Benincasa hispida</i> (Thunb.) Cogn.	Cucurbitaceae	Fruit
		<i>Celastrus paniculatus</i> Willd.	Celastraceae	Seed
		<i>Cinnamomum camphora</i> (Linn.) Nees.	Lauraceae	Seed
		<i>Clerodendrum philippinum</i> Schr.in. DC.	Verbenaceae	Root
		<i>Erythrina variegata</i> Linn.	Fabaceae	Leaf
		<i>Eucalyptus globulus</i> Labill	Myrtaceae	Leaf
		<i>Tagetes erecta</i> L.	Asteraceae	Leaf, Flower
		<i>Ziziphus mauritina</i> Lam.	Rhamnaceae	Stem bark
		<i>Citrullus colocynthis</i> (Linn.) Schrad.	Cucurbitaceae	Root
187	Respiratory problems	<i>Cyperus rotundus</i> Linn.	Cyperaceae	Tuber
		<i>Desmodium gangeticum</i> (Linn.) DC.	Fabaceae	Root
		<i>Hyptis suaveolens</i> (Linn.) Polt.	Lamiaceae	Leaf
		<i>Limonia acidissima</i> Linn.	Rutaceae	Stem bark
		<i>Luffa acutangula</i> (Linn.) Roxb.	Cucurbitaceae	Fruit
		<i>Mucuna pruriens</i> (Linn.) DC.	Fabaceae	Root
		<i>Plumbago auriculata</i> Lam.	Plumbaginaceae	Root
		<i>Plumbago indica</i> Linn.	Plumbaginaceae	Root bark
		<i>Saraca asoca</i> (Roxb.) De Willd.	Caesalpinaceae	Stem bark
		<i>Terminalia arjuna</i> (Roxb. ex DC.) Wight.	Combretaceae	Leaf
		<i>Terminalia chebula</i> Retz.	Combretaceae	Myrobalan seed
		<i>Thalictrum foliolosum</i> DC.	Ranunculaceae	Root
		<i>Tribulus terrestris</i> Linn.	Zygophyllaceae	Whole plant
		<i>Tridax procumbens</i> Linn.	Asteraceae	Leaf
		<i>Triumfetta rhomboids</i> Jacq.	Tiliaceae	Leaf
		<i>Vitex negundo</i> Linn.	Verbenaceae	Leaf
188	Rheumatic pains			
189	Rheumatism			

		<i>Acalypha indica</i> Linn.	Euphorbiaceae	Leaf
		<i>Argemone mexicana</i> Linn.	Papervaraceae	Fruit
		<i>Aristolochia bracteolata</i> Lam.	Aristolochiaceae	Leaf
		<i>Butea monosperma</i> (Lam.) Taub.	Fabaceae	Seed
		<i>Canna indica</i> (Linn.)	Cannaceae	Tuber
		<i>Casabela theratia</i> (Linn.) Lipp.	Apocynaceae	Leaf
		<i>Cassia alata</i> Linn.	Caesalpinaceae	Leaf
		<i>Cassia occidentalis</i> Linn.	Caesalpinaceae	Root
190	Ring worm	<i>Cocculus hirsutus</i> (Linn.) Dicus.	Menispermaceae	Leaf
		<i>Cordia dichotoma</i> Forst.f.	Boraginaceae	Seed
		<i>Elytraria acaulis</i> (Linn.f.) Lindau.	Acanthaceae	Leaf
		<i>Ficus hispida</i> Linn.f.	Moraceae	Leaf
		<i>Jasminum angustifolium</i> (Linn.) Willd.	Oleaceae	Root
		<i>Leonotis nepetifolia</i> (Linn.) R.Br.	Lamiaceae	Flower, Seed
		<i>Ocimum tenuiflorum</i> Linn.	Lamiaceae	Leaf
		<i>Thespesia populnea</i> (Linn.) Sol. ex Correa	Malvaceae	Seed
		<i>Tridax procumbens</i> Linn.	Asteraceae	Leaf
191	Rinitis	<i>Cinnamomum zeylanicum</i> Gare.ex.Bl.	Lauraceae	Stem bark
192	Reduce fat body	<i>Indigofera tinctoria</i> Linn.	Fabaceae	Root
		<i>Aristolochia bracteolata</i> Lam.	Aristolochiaceae	Leaf
		<i>Canna indica</i> (Linn.)	Cannaceae	Tuber
		<i>Casabela theratia</i> (Linn.) Lipp.	Apocynaceae	Leaf
		<i>Cassia occidentalis</i> Linn.	Caesalpinaceae	Root
		<i>Cayratia trifolia</i> (Linn.) Domin.	Vitaceae	Leaf
		<i>Coccinia grandis</i> (Linn.) Voigt.	Cucurbitaceae	Leaf
		<i>Cocculus hirsutus</i> (Linn.) Dicus.	Menispermaceae	Leaf
		<i>Curculigo orchoides</i> Gaertn.	Hypoxidaceae	Root
		<i>Entada rheedii</i> Spr	Mimosaceae	Seed
		<i>Erythrina variegata</i> Linn.	Fabaceae	Stem bark
193	Scabies	<i>Ficus hispida</i> Linn.f.	Moraceae	Latex
		<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Ulmaceae	Stem bark
		<i>Ipomoeahederifolia</i> Linn.	Convolvulaceae	Seed
		<i>Ipomoea nil</i> (Linn.) Roth	Convolvulaceae	Seed
		<i>Madhuca indica</i> Gmel.	Sapotaceae	Fruit
		<i>Ocimum gratissimum</i> Linn.	Lamiaceae	Leaf
		<i>Semecarpus anacardium</i> Linn.f.	Anacardiaceae	Stem bark
		<i>Sphaeranthus indicus</i> Linn.	Asteraceae	Flower
		<i>Soyimida febrifuga</i> (Roxb.) A. Juss.	Meliaceae	Stem bark
		<i>Tamarindus indica</i> Linn.	Caesalpinaceae	Leaf
		<i>Zanthoxylum armatum</i> DC.	Rutaceae	Leaf
194	Sciatica	<i>Hygrophila auriculata</i> (Schum.) Heine	Acanthaceae	Whole plant
		<i>Melia azadirach</i> Linn.	Meliaceae	Root bark
		<i>Terminalia chebula</i> Retz.	Combretaceae	Fruit
195	Sciatic pains	<i>Abrus precatorius</i> Linn.	Fabaceae	Seed
		<i>Acacia rugata</i> (Lam.) Ham.	Mimosaceae	Pod
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Leaf
		<i>Anogeissus latifolia</i> (Roxb.ex DC.) Wall.ex	Combretaceae	Gum
		Beddome	Cucurbitaceae	Fruit
		<i>Benincasa hispida</i> (Thunb.) Cogn.	Caesalpinaceae	Leaf
		<i>Cassia auriculata</i> Linn.	Apiaceae	Seed
196	Scorpion sting	<i>Cuminum cyminum</i> Linn.	Menispermaceae	Leaf
		<i>Cyclea peltata</i> (Lam.) Hook.f. & Thoms.	Liliaceae	Tuber
		<i>Gloriosa superba</i> Linn.	Violaceae	Root
		<i>Hybanthus enneaspermus</i> (Linn.) Muell.	Lamiaceae	Leaf
		<i>Leonotis nepetifolia</i> (Linn.) R.Br.	Martyniaceae	Fruit
		<i>Martynia annua</i> Linn.	Lamiaceae	Leaf
		<i>Ocimum tenuiflorum</i> Linn.	Asclepidaceae	Root
		<i>Pergularia daemia</i> (Forsk.) Chiov.	Meliaceae	Stem bark
197	Septic wounds	<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Ulmaceae	Stem bark
198	Sexual diseases	<i>Lawsonia intermis</i> Linn.	Lythraceae	Leaf
		<i>Rubia cordifolia</i> Linn.	Rubiaceae	Root
		<i>Aristolochia indica</i> Linn.	Aristolochiaceae	Root
		<i>Cissampelos pareira</i> Linn.	Menispermaceae	Root
199	Shivering fever	<i>Mimosa pudica</i> Linn.	Mimosaceae	Root
		<i>Phyllanthus amarus</i> Schum. & Thonn.	Euphorbiaceae	Root
		<i>Piper longum</i> Linn.	Piperaceae	Root
		<i>Soyimida febrifuga</i> (Roxb.) A. Juss.	Meliaceae	Stem bark
		<i>Desmodium gangeticum</i> (Linn.) DC.	Fabaceae	Root
200	Sinusitis	<i>Leucas cephalotes</i> (Roth) Spreng.	Lamiaceae	Leaf
201	Sinusitis headache	<i>Ipomoea nil</i> (Linn.) Roth	Convolvulaceae	Seed
202	Skin allergy	<i>Ficus benghalensis</i> Linn.	Moraceae	Leaf
		<i>Haldinia cordifolia</i> (Roxb.) Ridsd.	Rubiaceae	Stem bark
203	Skin brightness	<i>Anthocephalus cadamba</i> Mig.	Rubiaceae	Stem bark

		<i>Abrus precatorius</i> Linn.	Fabaceae	Seed
		<i>Acacia rugata</i> (Lam.) Ham.	Mimosaceae	Pod
		<i>Acalypha indica</i> Linn.	Euphorbiaceae	Leaf
		<i>Antiocephalus cadamba</i> Mig.	Rubiaceae	Stem bark
		<i>Aristolochia bracteolata</i> Lam.	Aristolochiaceae	Leaf
		<i>Bauhinia variegata</i> Linn.	Caesalpinaceae	Leaf
		<i>Brassia nigra</i> (Linn.) Koch.	Brassicaceae	Seed
		<i>Ceiba pentandra</i> (Linn.) Gaertn.	Bombaceae	Stem bark
		<i>Celastrus paniculatus</i> Willd.	Celastraceae	Seed
		<i>Cinnamomum zeylanicum</i> Gare.ex.Bl.	Lauraceae	Stem bark
		<i>Cleome gynandra</i> Linn.	Cleomaceae	Whole plant
		<i>Costus speciosus</i> (Koen.) Sm.	Zingiberaceae	Leaf
		<i>Curcuma aromatica</i> Sal.	Zingiberaceae	Rhizome
		<i>Dichrostachys cinerea</i> (Linn.) Wt. & Arn.	Mimosaceae	Stem bark
204	Skin diseases	<i>Heliotropium indicum</i> Linn.	Boraginaceae	Twigs
		<i>Jasminum angustifolium</i> (Linn.) Willd.	Oleaceae	Root
		<i>Jatropha curcas</i> Linn.	Euphorbiaceae	Seed
		<i>Limonia acidissima</i> Linn.	Rutaceae	Stem bark
		<i>Marsilea quadrifolia</i> Linn.	Marsileaceae	Leaf
		<i>Mimosa pudica</i> Linn.	Mimosaceae	Root
		<i>Murraya koenigii</i> (Linn.) Spreng.	Rutaceae	Leaf
		<i>Ocimum basilicum</i> Linn.	Lamiaceae	Leaf
		<i>Ocimum tenuiflorum</i> Linn.	Lamiaceae	Leaf
		<i>Pedilanthus tithymaloides</i> (Linn.) Polt.	Euphorbiaceae	Root
		<i>Rauwolfia tetraphylla</i> Linn.	Apocynaceae	Tuber
		<i>Solanum nigrum</i> Linn.	Solanaceae	Leaf
		<i>Strychnos potatorum</i> Linn.f.	Loganiaceae	Root
		<i>Terminalia chebula</i> Retz.	Combretaceae	Myrobalan seed
		<i>Vetiveria zizanioides</i> (Linn.) Nash	Poaceae	Root
		<i>Abrus precatorius</i> Linn.	Fabaceae	Root
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Root
		<i>Actinopterys radiata</i> (Swartz.) Link.	Actinopteridaceae	Root
		<i>Anogeissus latifolia</i> (Roxb.ex DC.) Wallex	Combretaceae	Gum
		<i>Arisaema tortuosum</i> (Wall.) Schott.	Araceae	Root
		<i>Aristolochia indica</i> Linn.	Aristolochiaceae	Root
205	Snake bite	<i>Butea superba</i> Roxb.	Fabaceae	Flower
		<i>Caladium bicolor</i> Vent.	Araceae	Tuber
		<i>Calotropis procera</i> (Ait.) R.Br.	Asclepidaceae	Leaf
		<i>Crotalaria laburnifolia</i> Linn.	Fabaceae	Stem, Root
		<i>Ochna obtusata</i> DC.var. <i>obtusata</i> Kanis	Ochinaceae	Root
		<i>Rauwolfia tetraphylla</i> Linn.	Apocynaceae	Tuber
		<i>Tiliacora acuminata</i> (Lam.) Miers	Menispermaceae	Leaf
		<i>Tylophora indica</i> (Burm.f.) Merr.	Asclepidaceae	Leaf
		<i>Coleus amboinicus</i> Lour.	Lamiaceae	Leaf
206	Sore throat	<i>Coriandrum sativum</i> Linn.	Apiaceae	Whole plant
		<i>Mentha spicata</i> Linn.	Lamiaceae	Leaf
		<i>Opuntia dillenii</i> Haw.	Cactaceae	Fruit
		<i>Petalium murex</i> Linn.	Pedaliaceae	Leaf
207	Spleen enlargement	<i>Trianthema portulacastrum</i>	Aizoaceae	Root
		<i>Curcuma longa</i> Linn.	Zingiberaceae	Rhizome
208	Sprains	<i>Ruellia tuberosa</i> Linn.	Acanthaceae	Leaf
		<i>Urena lobata</i> Linn.	Malvaceae	Leaf
209	Stiffness of hands	<i>Alysicarpus scarabaeoides</i> (Linn.) Benth.	Fabaceae	Leaf, Root
		<i>Abrus precatorius</i> Linn.	Fabaceae	Leaf
		<i>Acorus calamus</i> Linn.	Araceae	Rhizome
		<i>Apium graveolens</i> Linn.	Apiaceae	Fruit
		<i>Bauhinia variegata</i> Linn.	Caesalpinaceae	Stem bark
		<i>Benincasa hispida</i> (Thunb.) Cogn.	Cucurbitaceae	Fruit
		<i>Casabela thearata</i> (Linn.) Lipp.	Apocynaceae	Stem bark
		<i>Cassia hirsuta</i> Linn.	Caesalpinaceae	Root
		<i>Catunaregam spinosa</i> (Thunb.) Tirv.	Rubiaceae	Fruit
		<i>Dillenia indica</i> Linn.	Dilleniaceae	Stem bark
		<i>Emilia sonchifolia</i> (L.) DC.	Asteraceae	Tuber
		<i>Eryngium foetidum</i> Linn.	Apiaceae	Root
		<i>Helianthus annuus</i> Linn.	Asteraceae	Leaf
210	Stomachache	<i>Hyptis suaveolens</i> (Linn.) Polt.	Lamiaceae	Leaf
		<i>Leucas aspera</i> (Willd.) Link.	Lamiaceae	Leaf
		<i>Mentha spicata</i> Linn.	Lamiaceae	Leaf
		<i>Mimosa pudica</i> Linn.	Mimosaceae	Root
		<i>Mimosa julapa</i> Linn.	Nyctaginaceae	Root
		<i>Morinda pubescens</i> Sm.	Rubiaceae	Stem bark
		<i>Pergularia daemia</i> (Forsk.) Chiov.	Asclepidaceae	Leaf
		<i>Rauwolfia serpentina</i> (Linn.) Benth. ex Kurz.	Apocynaceae	Tuber
		<i>Stephania japonica</i> Miers.	Menispermaceae	Root
		<i>Tephrosia procumbens</i> Buch. -Ham.	Fabaceae	Root
		<i>Urena lobata</i> Linn.	Malvaceae	Root
		<i>Ziziphus mauritina</i> Lam.	Rhamnaceae	Seed
211	Stomachache in infants	<i>Curculigo orchoides</i> Gaertn.	Hypoxidaceae	Root
212	Stomach burninA	<i>Aristolochia indica</i> Linn.	Aristolochiaceae	Root
213	Stomach pains	<i>Cissampelos pareira</i> Linn.	Menispermaceae	Root
214	Stones in urine	<i>Basella rubra</i> Linn.	Basellaceae	Leaf
215	Strength	<i>Rubia cordifolia</i> Linn.	Rubiaceae	Root
		<i>Acacia rugata</i> (Lam.) Ham.	Mimosaceae	Pod
216	Strong hair	<i>Eclipta prostrata</i> (Linn.) Mant.	Asteraceae	Whole plant
		<i>Lawsonia intermis</i> Linn.	Lythraceae	Leaf
217	Strong teeth	<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Branch
218	Subjugation	<i>Xanthium pungens</i> Linn.	Asteraceae	Root
219	Sustain pregnancy	<i>Sida cordifolia</i> Linn.	Malvaceae	Root

		<i>Acorus calamus</i> Linn.	Araceae	Rhizome
		<i>Adhatoda zeylanica</i> Medik.	Acanthaceae	Leaf
		<i>Apium graveolens</i> Linn.	Apiaceae	Root
		<i>Bauhinia variegata</i> Linn.	Caesalpinaceae	Stem bark
		<i>Ceiba pentandra</i> (Linn.) Gaertn.	Bombacaceae	Leaf
		<i>Euphorbia hirta</i> Linn.	Euphorbiaceae	Latex
		<i>Euphorbia tirucalli</i> Linn.	Euphorbiaceae	Latex
		<i>Evolvulus alsinoides</i> Linn.	Convolvulaceae	Plant
		<i>Ficus microcarpa</i> Linn.f.	Moraceae	Fruit
		<i>Glycyrrhiza glabra</i> (Retz.) DC.	Fabaceae	Root
		<i>Helianthus annuus</i> Linn.	Asteraceae	Leaf
		<i>Holoptelea integrifolia</i> (Roxb.) Planch.	Ulmaceae	Leaf
		<i>Indigofera tinctoria</i> Linn.	Fabaceae	Whole plant
		<i>Jatropha curcas</i> Linn.	Euphorbiaceae	Leaf
220	Swellings	<i>Kalanchoe lanceolata</i> (Forsk.) Pers.	Crassulaceae	Leaf
		<i>Kalanchoe pinnata</i> (Lam.) Pers.	Crassulaceae	Leaf
		<i>Luffa acutangula</i> (Linn.) Roxb.	Cucurbitaceae	Leaf
		<i>Madhuca indica</i> Gmel.	Sapotaceae	Seed
		<i>Martynia annua</i> Linn.	Martyniaceae	Fruit
		<i>Ocimum basilicum</i> Linn.	Lamiaceae	Leaf
		<i>Oroxylum indicum</i> (Linn.) Vent.	Bignoniaceae	Stem bark
		<i>Peperomia dindigulensis</i> Miq.	Piperaceae	Leaf
		<i>Pergularia daemia</i> (Forsk.) Chiov.	Asclepidaceae	Leaf
		<i>Sansevieria roxburghiana</i> Schult. & Schult.f.	Agavaceae	Leaf, Root
		<i>Sarcostemma secamone</i> (Linn.) Bennet	Asclepidaceae	Whole plant
		<i>Semecarpus anacardium</i> Linn.f.	Anacardiaceae	Stem bark
		<i>Thespesia populnea</i> (Linn.) Sol. ex Correa	Malvaceae	Leaf
		<i>Tridax procumbens</i> Linn.	Asteraceae	Leaf
		<i>Wattakaka volubilis</i> (Linn.f.) Stapf.	Asclepidaceae	Leaf
221	Swine flu	<i>Eucalyptus globulus</i> Labill	Myrtaceae	Leaf
222	Syphilis	<i>Mallois philippensis</i> (Lam.) Muell.-Arg.	Euphorbiaceae	Fruit
223	Throat pains	<i>Canna edulis</i> (Linn.)	Cannaceae	Tuber
224	Throat ulcers	<i>Actinopterys radiata</i> (Swartz.) Link.	Actinopteridaceae	Whole plant
225	Tightening of muscles in the stomach	<i>Rubia cordifolia</i> Linn.	Rubiaceae	Root
226	To pacify anger	<i>Xanthium pungens</i> Linn.	Asteraceae	Root
		<i>Spilanthes acmella</i> Wall. ex DC.	Asteraceae	Whole plant
227	Tonsillitis	<i>Solanum erianthum</i> Don	Solanaceae	Leaf
		<i>Trachyspermum ammi</i> (Linn.) Turrill	Apiaceae	Seed
228	Tongue splits	<i>Momordica charantia</i> Linn.	Cucurbitaceae	Fruit
229	Tonic	<i>Bacopa monnieri</i> Wettst.	Scrophulariaceae	Whole plant
		<i>Hybanthus enneaspermus</i> (Linn.) Muell.	Violaceae	Whole plant
230	Tongue sores	<i>Basella rubra</i> Linn.	Basellaceae	Leaf
		<i>Acalypha indica</i> Linn.	Euphorbiaceae	Leaf
		<i>Achyranthes aspera</i> Linn.	Amaranthaceae	Root
231	Toothache	<i>Mentha spicata</i> Linn.	Lamiaceae	Leaf
		<i>Spilanthes acmella</i> Wall. ex DC.	Asteraceae	Flower, Root
		<i>Cinnamomum camphora</i> (Linn.) Nees	Lauraceae	Stem
		<i>Datura innoxia</i> Mill.	Solanaceae	Seed
		<i>Diplocyclos palmatus</i> (Linn.) Jeffrey	Cucurbitaceae	Root
		<i>Elephantopus scaber</i> Linn.	Asteraceae	Root bark
232	Tooth decay	<i>Plumbago zeylanica</i> Linn.	Plumbaginaceae	Root
		<i>Spilanthes acmella</i> Wall. ex DC.	Asteraceae	Whole plant
		<i>Solanum torvum</i> Sw.	Solanaceae	Fruit
		<i>Synedrella nodiflora</i> (Linn.) Gaertn.	Asteraceae	Leaf
		<i>Tephrosia purpurea</i> (Linn.) Pers.	Fabaceae	Leaf
233	Tooth disorders	<i>Madhuca indica</i> Gmel.	Sapotaceae	Stem bark
		<i>Adhatoda zeylanica</i> Medik.	Acanthaceae	Leaf
		<i>Argyrea nervosa</i> (Burm.f.) Boj.	Convolvulaceae	Root
234	Tuberculosis	<i>Curcuma angustifolia</i> Roxb.	Zingiberaceae	Rhizome
		<i>Desmodium gangeticum</i> (Linn.) DC.	Fabaceae	Root
		<i>Withania somnifera</i> (Linn.) Dunal	Solanaceae	Root
		<i>Hibiscus vitifolius</i> Linn.	Malvaceae	Root
235	Tumours in stomach	<i>Nyctanthes arbor-tristis</i> Linn.	Nyctaginaceae	Leaf
		<i>Pueraria tuberosa</i> (Roxb. ex Willd.) DC.	Fabaceae	Tuber
		<i>Abelmoschus moschatus</i> Medik.	Malvaceae	Tuber
		<i>Apium graveolens</i> Linn.	Apiaceae	Fruit
		<i>Cassia fistula</i> Linn.	Caesalpinaceae	Fruit
236	Tympanitis	<i>Indigofera tinctoria</i> Linn.	Fabaceae	Whole plant
		<i>Operculina turpethum</i> (Linn.) Silva Manso	Convolvulaceae	Leaf
		<i>Tamarindus indica</i> Linn.	Caesalpinaceae	Leaf
		<i>Trichosanthes tricuspidata</i> Lour.	Cucurbitaceae	Fruit
237	Typhoid	<i>Corallocarpus epigaens</i> (Rottl. & Willd.) Clarke.	Cucurbitaceae	Tuber
		<i>Asparagus racemosus</i> Willd.	Liliaceae	Root
238	Ulcers	<i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. f. & Thoms.	Menispermaceae	Stem
239	Ulcers in stomach	<i>Celastrus argentea</i> Linn. var. plumose	Amaranthaceae	Leaf
		<i>Trichosanthes tricuspidata</i> Lour.	Cucurbitaceae	Root
240	Antiulcerants	<i>Benincasa hispida</i> (Thunb.) Cogn.	Cucurbitaceae	Fruit
241	Urticarial(rashes)	<i>Clerodendrum phlomisoides</i> Linn.f.	Verbenaceae	
		<i>Phyllanthus emblica</i> Linn.	Euphorbiaceae	Stem Root Fruit
242	Uterine disorders	<i>Ficus racemosa</i> Linn.	Moraceae	Stem bark
243	Uterus cancer	<i>Moringa olifera</i> Lam.	Moringaceae	Stem bark
242	Uterus cleaning	<i>Acanthospermum hispidum</i> DC.	Asteraceae	Leaf
		<i>Melia azadirach</i> Linn.	Meliaceae	Leaf

243	Vigour	<i>Colocasia esculenta</i> (Linn.) Schott. <i>Curcuma angustifolia</i> Roxb.	Araceae Zingiberaceae Rhizome	Rhizome
244	Viral fevers	<i>Glycyrrhiza glabra</i> (Retz.) DC.	Fabaceae	Root
245	Vitality	<i>Colocasia esculenta</i> (Linn.) Schott. <i>Curcuma angustifolia</i> Roxb.	Araceae Zingiberaceae	Corms Rhizome
246	Vomitings	<i>Eryngium foetidum</i> Linn.	Apiaceae	Leaf
247	Vomitings in children	<i>Zanthoxylum armatum</i> DC. <i>Bauhinia vahlii</i> Wight & Arn.	Rutaceae Caesalpinaceae	Leaf Root
248	Ward off evil spirits	<i>Cleome monophylla</i> Linn. <i>Imperata cylindrica</i> (Linn.) Raeush.	Capparidaceae Poaceae	Leaf Leaf
249	Weak heart	<i>Holarrhena pubescens</i> (Buch. -Ham.) Wall. <i>Mimosa elengi</i> Linn.	Apocynaceae Sapotaceae	Stem bark Flower
250	Weight loss	<i>Piper longum</i> Linn. <i>Plumbago indica</i> Linn.	Piperaceae Plumbaginaceae	Root Root
251	Whooping cough	<i>Calotropis gigantea</i> (Linn.) R.Br. ex Ait. <i>Hemionitis arifolia</i> (Burm.f.) Moore <i>Strychnos potatorum</i> Linn.f.	Asclepidaceae Adiantaceae Loganiaceae	Root bark Leaf Seed
252	Witchcraft	<i>Azadirachta indica</i> A. Juss. <i>Lygodium flexuosum</i> (Linn.) Sw. <i>Acalypha indica</i> Linn.	Meliaceae Schizaeaceae Euphorbiaceae	Leaf Root Leaf
253	Withlow	<i>Bidens pilosa</i> Linn. <i>Moringa olifera</i> Lam.	Asteraceae Moringaceae	Leaf Gum
254	Wounds	<i>Acacia leucophloea</i> (Roxb.) Willd. <i>Acanthospermum hispidum</i> DC. <i>Achyranthes aspera</i> Linn. <i>Aristolochia bracteolata</i> Lam. <i>Bambusa arundinacea</i> (Retz.) Roxb. <i>Calycopteris floribunda</i> Lam. <i>Cayratia trifolia</i> (Linn.) Domin. <i>Chromolaena odorata</i> (Linn.) King Robinson. <i>Cinnamomum camphora</i> (Linn.) Nees. <i>Cipadessa baccifera</i> (Roth.) Miq. <i>Cleome viscosa</i> Linn. <i>Cuscuta reflexa</i> Roxb. <i>Desmodium pulchellum</i> (Linn.) Benth. <i>Emilia sonchifolia</i> (L.) DC. <i>Euphorbia hirta</i> Linn. <i>Glycosmis pentathylla</i> (Retz.) DC. <i>Holoptelea integrifolia</i> (Roxb.) Planch. <i>Ipomoea hederifolia</i> Linn. <i>Lawsonia intermis</i> Linn. <i>Mimosa pudica</i> Linn. <i>Morinda pubescens</i> Sm. <i>Ocimum gratissimum</i> Linn. <i>Rhinacanthus communis</i> Nees <i>Sphaeranthus indicus</i> Linn.	Mimosaceae Asteraceae Amaranthaceae Aristolochiaceae Bambusaceae Combretaceae Vitaceae Asteraceae Lauraceae Meliaceae Capparidaceae Convolvulaceae Fabaceae Asteraceae Euphorbiaceae Rutaceae Ulmaceae Convolvulaceae Lythraceae Mimosaceae Rubiaceae Lamiaceae Acanthaceae Asteraceae	Stem Bark Leaf/Twigs Leaf Leaf Stem Bark Leaf Leaf Stem Leaf Leaf Whole Plant Leaf Leaf Latex Leaf Stem bark Seed Leaf Twigs Leaf Leaf Leaf Flower Root

Conclusion

Medicinal plants are still playing significant role in the management of various human diseases in the study area of Eastern Ghats of Vizianagaram District with herbs taking the lead in the number of plants used in the preparation of remedies which may be an indication of their relatively better abundance as compared to other life forms. Ethnomedicinal knowledge is important not only for its potential contribution to drug development and market values but also for the health care professionals. Enhancing the sustainable use and conservation of indigenous knowledge of useful and medicinal plants may benefit and improve the living standards of poor people and requires for the research on Phytochemical, Antimicrobial and Antioxidant studies of above said plants need to be taken up to find out the exact ingredients that gives basic information to the Pharmaceutical industries for further research in the treatments and control of ailments effectively.

Acknowledgement

The first author is grateful to the ethnic groups, forest officials, and tribal doctors for accompanying to the deep forest areas and for

their help during my field trips.

References

1. Gamble J. S., "Flora of the Presidency of Madras", Adlard and Sons Ltd., London. Vol. 1-3, (Vol. 3 by C.E.S. Fischer), 1915-1936.
2. Hemadri K. & S.S. Rao. Jaundice: Tribal medicine. *Anc. Sci. Life* 1984, 4: 209-212.
3. Jain S. K., "Dictionary of Indian Folk Medicine and Ethnobotany" Deep Publications, New Delhi, 1991.
4. Prayaga Murth P. "Studies on Weed Flora of Crop Fields of North Coastal Andhra Pradesh, India". Ph. D Thesis, Andhra University, Visakhapatnam, A.P., India. 2009.
5. Pullaiah T. and D. Ali Moulali. "Flora of Andhra Pradesh". Scientific publishers, Jodhpur, India, 1997. 2: 464-921.
6. Pullaiah T., and E. Chennaiah, "Flora of Andhra Pradesh (India)". Department of Botany, Sri Krishna Devaraya University, Anantapur, India. Scientific Publishers, Todhpud, India, 1997.

7. Rama Rao N. "The Ethnobotany of Eastern Ghats in Andhra Pradesh, India". Ph.D. thesis, Bharathiar University, Coimbatore, 1988.
8. Rama Rao N., Sreekumar P.V. and A.N Henry. "Ethnobotanical studies in Andhra Pradesh". Proc. 2nd Annual workshop on MAB Projects. 20-82, DOEn, New Delhi, 1984.
9. Rao R.S. and S. Hara Sreeramulu. "Flora of Srikakulam District, Andhra Pradesh, India". Indian Botanical Society, Meerut University, Meerut, 1986.
10. Savithramma N., Linga Rao M., Yugandhar P., and R. Hari babu "Ethnobotanical study of Penchalakonda forest area of Nellore District, Andhra Pradesh, India". *Int. J. Phytomedicine* 2012; 4: 333-339.
11. Savithramma N., Yugandhar P. and M. Linga Rao "Ethnobotanical Studies on Japali Hanuman Theertham- A Sacred Grove of Tirumala hills, Andhra Pradesh, India". *J. Pharm. Sci & Res* 2014; 6: 83-88.
12. Schultes R. E., "La ethnobotanica: Sualcance Y sus objetos". *Caldoria*, 1941, 3:7.
13. Subba Rao G.V., "Flora of Visakhapatnam District, Andhra Pradesh". *Bull. Bot. Surv. India*. 19, 1977:122-126.
14. Venkaiah M. "Studies on the vegetation and Flora of Vizianagaram District", A.P. Ph.D. Thesis, Andhra University, Visakhapatnam, 1988.

Cite this article as:

T.R. Parijatham, B. Sujatha and B. Seetha Lakshmi. Ethnomedicinal studies of medicinal plants in Eastern Ghats of Vizianagaram district, Andhra Pradesh, India. *International Journal of Bioassays* 5.2 (2016): 4825-4842.

Source of support: Nil
Conflict of interest: None Declared